


Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM5 TBM8	Brown	33
Panduit	CT-720 CT-1700	Brown	P33
Burndy	Y1MR MY29	Brown	10
Celestra	A45	Brown	33

Cat. Nos	Wire Size		Dimension (in.)					Std. Pkg.
	Code	Flex Class G,H,I,K,M	Bolt Size	B	C	R	ID	
DA0214A	2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/4	0.65	0.59	0.85	0.30	100
DA0256A	2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	5/16	0.88	0.59	0.85	0.30	100
DA0238A	2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	3/8	0.80	0.59	0.85	0.30	100
DA0212A	2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/2	1.08	0.75	0.85	0.30	100
LA0210A	2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	#10	0.65	0.59	1.15	0.30	100
LA0256A	2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	5/16	0.88	0.59	1.15	0.30	100
DA0214A-250	2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/4	0.63	0.60	1.13	0.31	100
DA0256A-250	2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	5/16	0.76	0.66	1.13	0.31	100
DA0238A-250	2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	3/8	0.83	0.66	1.13	0.31	100
DA0212A-250	2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/2	1.07	0.75	1.13	0.31	100
DA0214A-260	2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/4	0.64	0.61	1.13	0.30	100
DA0256A-260	2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	5/16	0.70	0.61	1.13	0.30	100
DA0238A-260	2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	3/8	0.83	0.61	1.13	0.30	100
DA0212A-260	2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/2	1.08	0.73	1.13	0.30	100
DA0210A-251	2 AWG	150/24 #2 Weld	#10	0.54	0.70	0.84	0.36	100
DA0214A-251	2 AWG	150/24 #2 Weld	1/4	0.63	0.70	0.84	0.36	100
DA0256A-251	2 AWG	150/24 #2 Weld	5/16	0.76	0.70	0.84	0.36	100
DA0238A-251	2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	3/8	0.83	0.70	0.84	0.36	100
DA0212A-251	2 AWG	150/24 #2 Weld	1/2	1.07	0.75	0.84	0.36	100
DA0214A-252	2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/4	0.63	0.60	0.82	0.31	100
DA0256A-252	2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	5/16	0.76	0.66	0.82	0.31	100
DA0238A-252	2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	3/8	0.83	0.66	0.82	0.31	100
DA0212A-252	2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/2	1.07	0.75	0.82	0.31	100
DA0210A-261	2 AWG	150/24 #2 Weld	#10	0.52	0.68	0.88	0.36	100
DA0212A-261	2 AWG	150/24 #2 Weld	1/2	1.08	0.77	0.88	0.36	100
DA0214A-261	2 AWG	150/24 #2 Weld	1/4	0.64	0.68	0.88	0.36	100
DA0238A-261	2 AWG	150/24 #2 Weld	3/8	0.83	0.68	0.88	0.36	100
DA0256A-261	2 AWG	150/24 #2 Weld	5/16	0.70	0.68	0.88	0.36	100
LA0210A-250	2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	#10	0.56	0.60	1.41	0.31	100
LA0256A-250	2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	5/16	0.76	0.66	1.41	0.31	100
LA0210A-260	2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	#10	0.52	0.61	1.50	0.30	100
LA0214A-260	2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/4	0.64	0.60	1.50	0.30	100
LA0256A-260	2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	5/16	0.70	0.61	1.50	0.30	100
LA0212A-260	2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/2	1.08	0.83	1.50	0.30	100



Installation Information			
Manufacturer	Tools	Color	Code
T&B	TBM5 TBM8	Brown	33
Panduit	CT-720 CT-1700	Brown	P33
Burndy	Y1MR MY29	Brown	10
Celestra	A45	Brown	33

Cat. Nos	Wire Size		Dimension (in.)					Std. Pkg.
	Code	Flex Class G,H,I,K,M	Bolt Size	B	C	R	ID	
LA0214AP-260	2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/4	0.64	0.60	1.50	0.30	100
LA0238AP-260	2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	3/8	0.83	0.60	1.50	0.30	100
LA0212AP-260	2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/2	1.08	0.83	1.50	0.30	100
LA0214AP-251	2 AWG	150/24 #2 Weld	1/4	0.63	0.70	1.61	0.36	100
LA0238AP-251	2 AWG	150/24 #2 Weld	3/8	0.83	0.70	1.61	0.36	100
LA0212AP-251	2 AWG	150/24 #2 Weld	1/2	1.07	0.75	1.61	0.36	100
LA0214AP-261	2 AWG	150/24 #2 Weld	1/4	0.64	0.68	1.63	0.36	100
LA0238AP-261	2 AWG	150/24 #2 Weld	3/8	0.83	0.68	1.63	0.36	100
LA0212AP-261	2 AWG	150/24 #2 Weld	1/2	1.08	0.83	1.63	0.36	100