


Installation Information			
Manufacturer	Tools	Color	Code
T&B	TBM5 TBM8	Green	37
Panduit	CT-720 CT-1700	Green	P37
Burndy	MY29 Y644M	Green	11
Celestra	A45	Green	37


Cat. Nos	Code	Wire Size	Bolt Size	Dimension (in.)					ID	Std. Pkg.
		Flex Class G,H,I,K,M		A	B	C	G	R		
DB011458	#1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223	1/4	2.13	1.28	0.68	0.63	0.85	0.36	100
DB015601	#1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223	5/16	2.47	1.62	0.69	1.00	0.85	0.36	100
DB013801	#1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223	3/8	2.66	1.81	0.68	1.00	0.85	0.36	100
LB011458	#1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223	1/4	2.71	1.58	0.67	0.63	1.13	0.36	100
LB011434	#1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223	1/4	2.53	1.40	0.67	0.75	1.13	0.36	100
LB015678	#1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223	5/16	2.76	1.63	0.67	0.88	1.13	0.36	100
LB013801	#1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223	3/8	3.11	1.98	0.67	1.00	1.13	0.36	100
LB011243	#1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223	1/2	4.13	3.00	0.88	1.75	1.13	0.36	100
DB011458-250	#1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223	1/4	2.39	1.26	0.70	0.63	1.13	0.36	100
DB011434-250	#1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223	1/4	2.51	1.38	0.70	0.75	1.13	0.36	100
DB015678-250	#1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223	5/16	2.77	1.64	0.70	0.88	1.13	0.36	100
DB013801-250	#1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223	3/8	2.96	1.83	0.70	1.00	1.13	0.36	100
DB011243-250	#1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223	1/2	4.14	3.01	0.75	1.75	1.13	0.36	100
DB011243-260	#1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223	1/2	3.96	2.83	0.81	1.75	1.13	0.36	100
DB015678-260	#1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223	5/16	2.71	1.58	0.68	0.88	1.13	0.36	100
DB011458-260	#1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223	1/4	2.40	1.27	0.68	0.63	1.13	0.36	100
DB011434-260	#1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223	1/4	2.52	1.39	0.68	0.75	1.13	0.36	100
DB013801-260	#1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223	3/8	2.96	1.83	0.68	1.00	1.13	0.36	100
DB011458-251	#1 AWG	225/24 #1 Weld	1/4	2.24	1.47	0.76	0.63	0.91	0.39	100
DB011434-251	#1 AWG	225/24 #1 Weld	1/4	2.36	1.59	0.76	0.75	0.91	0.39	100
DB011401-251	#1 AWG	225/24 #1 Weld	1/4	2.61	1.84	0.76	1.00	0.91	0.39	100
DB015601-251	#1 AWG	225/24 #1 Weld	5/16	2.67	1.90	0.76	1.00	0.91	0.39	100
DB013801-251	#1 AWG	225/24 #1 Weld	3/8	2.74	1.93	0.76	1.00	0.91	0.39	100
DB011243-251	#1 AWG	225/24 #1 Weld	1/2	3.85	2.77	0.80	1.75	0.91	0.39	100



**Installation Information**

Manufacturer	Tools	Color	Code
T&B	TBM5 TBM8	Green	37
Panduit	CT-720 CT-1700	Green	P37
Burndy	MY29 Y644M	Green	11
Celestra	A45	Green	37

Cat. Nos	Code	Wire Size		Dimension (in.)							
		Flex Class	G,H,I,K,M	Bolt Size	A	B	C	G	R	ID	Std. Pkg.
DB011458-261	#1 AWG	225/24 #1 Weld		1/4	2.21	1.27	0.75	0.63	0.94	0.39	100
DB011401-261	#1 AWG	225/24 #1 Weld		1/4	2.58	1.64	0.75	1.00	0.94	0.39	100
DB011434-261	#1 AWG	225/24 #1 Weld		1/4	2.33	1.39	0.75	0.75	0.94	0.39	100
DB015601-261	#1 AWG	225/24 #1 Weld		5/16	2.64	1.70	0.75	1.00	0.94	0.39	100
DB013801-261	#1 AWG	225/24 #1 Weld		3/8	2.77	1.83	0.75	1.00	0.94	0.39	100
DB011243-261	#1 AWG	225/24 #1 Weld		7/16	3.77	2.83	0.83	1.75	0.94	0.39	100
WP011458-008	#1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223		1/4	2.31	1.15	0.68	0.63	0.85	0.36	100
WP013801-176	#1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223		3/8	2.71	1.82	0.68	1.00	0.85	0.36	100
LB011458-250	#1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223		1/4	2.87	1.26	0.70	0.63	1.61	0.36	100
LB011434-250	#1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223		1/4	2.99	1.38	0.70	0.75	1.61	0.36	100
LB015634-250	#1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223		5/16	3.12	1.51	0.70	0.75	1.61	0.36	100
LB015678-250	#1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223		5/16	3.25	1.64	0.70	0.88	1.61	0.36	100
LB013801-250	#1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223		3/8	3.44	1.83	0.70	1.00	1.61	0.36	100
LB011243-250	#1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223		1/2	4.62	3.01	0.75	1.75	1.61	0.36	100
LB011458P-250	#1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223		1/4	2.87	1.26	0.70	0.63	1.61	0.36	100
LB011434P-250	#1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223		1/4	2.99	1.38	0.70	0.75	1.61	0.36	100
LB015634P-250	#1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223		5/16	3.12	1.51	0.70	0.75	1.61	0.36	100
LB015678P-250	#1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223		5/16	3.25	1.64	0.70	0.88	1.61	0.36	100
LB013801P-250	#1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223		3/8	3.44	1.83	0.70	1.00	1.61	0.36	100
LB011243P-250	#1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223		1/2	4.62	3.01	0.75	1.75	1.61	0.36	100
LB011243-260	#1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223		1/2	4.46	2.83	0.81	1.75	1.63	0.36	100
LB011458-260	#1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223		1/4	2.90	1.27	0.68	0.63	1.63	0.36	100
LB011434-260	#1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223		1/4	3.02	1.39	0.75	0.75	1.63	0.36	100
LB013801-260	#1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223		3/8	3.46	1.83	0.68	1.00	1.63	0.36	100



**Installation Information**

Manufacturer	Tools	Color	Code
T&B	TBM5 TBM8	Green	37
Panduit	CT-720 CT-1700	Green	P37
Burndy	MY29 Y644M	Green	11
Celestra	A45	Green	37

Cat. Nos	Code	Wire Size	Bolt Size	Dimension (in.)					ID	Std. Pkg.
		Flex Class G,H,I,K,M		A	B	C	G	R		
LB011243P-260	#1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223	1/2	4.46	2.83	0.83	1.75	1.63	0.36	100
LB011458P-260	#1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223	1/4	2.90	1.27	0.67	0.63	1.63	0.36	100
LB011434P-260	#1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223	1/4	3.02	1.39	0.67	0.75	1.63	0.36	100
LB013801P-260	#1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223	3/8	3.46	1.83	0.67	1.00	1.63	0.36	100
LB011458P-251	#1 AWG	225/24 #1 Weld	1/4	3.02	1.33	0.76	0.63	1.69	0.39	100
LB011434P-251	#1 AWG	225/24 #1 Weld	1/4	3.14	1.45	0.76	0.75	1.69	0.39	100
LB011401P-251	#1 AWG	225/24 #1 Weld	1/4	3.39	1.70	0.76	1.00	1.69	0.39	100
LB015678P-251	#1 AWG	225/24 #1 Weld	5/16	3.33	1.64	0.76	0.88	1.69	0.39	100
LB015601P-251	#1 AWG	225/24 #1 Weld	5/16	3.45	1.76	0.76	1.00	1.69	0.39	100
LB013801P-251	#1 AWG	225/24 #1 Weld	3/8	3.52	1.83	0.76	1.00	1.69	0.39	100
LB011458P-261	#1 AWG	225/24 #1 Weld	1/4	2.90	1.27	0.75	0.63	1.63	0.39	100
LB011401P-261	#1 AWG	225/24 #1 Weld	1/4	3.27	1.64	0.75	1.00	1.63	0.39	100
LB011434P-261	#1 AWG	225/24 #1 Weld	1/4	3.02	1.39	0.75	0.75	1.63	0.39	100
LB013801P-261	#1 AWG	225/24 #1 Weld	3/8	3.46	1.83	0.75	1.00	1.63	0.39	100
LB015678P-261	#1 AWG	225/24 #1 Weld	5/16	3.21	1.58	0.75	0.88	1.63	0.39	100
LB015601P-261	#1 AWG	225/24 #1 Weld	5/16	3.33	1.70	0.75	1.00	1.63	0.39	100