


Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM5 TBM8	Pink	42
Panduit	CT-720 CT-920	Pink	P42
Burndy	MY29 Y644M	Pink	12
Celestra	A45	Pink	42

Cat. Nos	Wire Size		Dimension (in.)							
	Code	Flex Class G,H,I,K,M	Bolt Size	A	B	C	G	R	ID	Std. Pkg.
DB101434	1/0AWG	100 Navy #1 Weld 225/24 = 90.8 kcmil 133/.0254	1/4	2.76	1.81	0.75	0.75	0.98	0.40	100
DB105678	1/0AWG	100 Navy #1 Weld 225/24 = 90.8 kcmil 133/.0254	5/16	2.51	1.56	0.75	0.88	0.98	0.40	100
DB105601	1/0AWG	100 Navy #1 Weld 225/24 = 90.8 kcmil 133/.0254	5/16	2.73	1.78	0.75	1.00	0.98	0.40	100
DB103801	1/0AWG	100 Navy #1 Weld 225/24 = 90.8 kcmil 133/.0254	3/8	2.88	1.93	0.75	1.00	0.98	0.40	100
DB103843	1/0AWG	100 Navy #1 Weld 225/24 = 90.8 kcmil 133/.0254	3/8	3.52	2.57	0.75	1.75	0.98	0.40	100
DB101243	1/0AWG	100 Navy #1 Weld 225/24 = 90.8 kcmil 133/.0254	1/2	3.78	2.83	0.75	1.75	0.98	0.40	100
LB101401	1/0AWG	100 Navy #1 Weld 225/24 = 90.8 kcmil 133/.0254	1/4	3.18	1.88	0.75	1.00	1.33	0.40	100
LB101401P	1/0AWG	100 Navy #1 Weld 225/24 = 90.8 kcmil 133/.0254	1/4	3.18	1.88	0.75	1.00	1.33	0.40	100
LB101458	1/0AWG	100 Navy #1 Weld 225/24 = 90.8 kcmil 133/.0254	1/4	2.49	1.19	0.75	0.63	1.33	0.40	100
LB101434	1/0AWG	100 Navy #1 Weld 225/24 = 90.8 kcmil 133/.0254	1/4	2.68	1.38	0.75	0.75	1.33	0.40	100
LB105678	1/0AWG	100 Navy #1 Weld 225/24 = 90.8 kcmil 133/.0254	5/16	2.93	1.63	0.75	0.88	1.33	0.40	100
LB103801P	1/0AWG	100 Navy #1 Weld 225/24 = 90.8 kcmil 133/.0254	3/8	3.28	1.98	0.75	1.00	1.33	0.40	100
LB103801	1/0AWG	100 Navy #1 Weld 225/24 = 90.8 kcmil 133/.0254	3/8	3.23	1.93	0.75	1.00	1.33	0.40	100
LB101243	1/0AWG	100 Navy #1 Weld 225/24 = 90.8 kcmil 133/.0254	1/2	4.30	3.00	0.75	1.75	1.33	0.40	100
DB101458-250	1/0 AWG	100 Navy #1 Weld 225/24 = 90.8 kcmil 133/.0254	1/4	2.52	1.33	0.76	0.63	1.22	0.39	100
DB101434-250	1/0 AWG	100 Navy #1 Weld 225/24 = 90.8 kcmil 133/.0254	1/4	2.64	1.45	0.76	0.75	1.22	0.39	100
DB105678-250	1/0 AWG	100 Navy #1 Weld 225/24 = 90.8 kcmil 133/.0254	5/16	2.83	1.64	0.76	0.88	1.22	0.39	100
DB103801-250	1/0 AWG	100 Navy #1 Weld 225/24 = 90.8 kcmil 133/.0254	3/8	3.02	1.83	0.76	1.00	1.22	0.39	100
DB101243-250	1/0 AWG	100 Navy #1 Weld 225/24 = 90.8 kcmil 133/.0254	1/2	4.20	3.01	0.80	1.75	1.22	0.39	100
DB105678-260	1/0 AWG	100 Navy #1 Weld 225/24 = 90.8 kcmil 133/.0254	5/16	2.71	1.58	0.75	0.88	1.16	0.39	100
DB101243-260	1/0 AWG	100 Navy #1 Weld 225/24 = 90.8 kcmil 133/.0254	1/2	3.96	2.83	0.83	1.75	1.16	0.39	100
DB101458-260	1/0 AWG	100 Navy #1 Weld 225/24 = 90.8 kcmil 133/.0254	1/4	2.40	1.27	0.75	0.63	1.16	0.39	100
DB101401-260	1/0 AWG	100 Navy #1 Weld 225/24 = 90.8 kcmil 133/.0254	1/4	2.77	1.64	0.75	1.00	1.16	0.39	100
DB101434-260	1/0 AWG	100 Navy #1 Weld 225/24 = 90.8 kcmil 133/.0254	1/4	2.52	1.39	0.75	0.75	1.16	0.39	100
DB103801-260	1/0 AWG	100 Navy #1 Weld 225/24 = 90.8 kcmil 133/.0254	3/8	2.96	1.83	0.75	1.00	1.16	0.39	100
DB101458-251	1/0 AWG	275/24 1/0 Weld	1/4	2.26	1.46	0.85	0.63	1.00	0.45	100
DB101434-251	1/0 AWG	275/24 1/0 Weld	1/4	2.38	1.58	0.85	0.75	1.00	0.45	100
DB105634-251	1/0 AWG	275/24 1/0 Weld	5/16	2.47	1.67	0.85	0.75	1.00	0.45	100
DB105601-251	1/0 AWG	275/24 1/0 Weld	5/16	2.72	1.92	0.85	1.00	1.00	0.45	100
DB103801-251	1/0 AWG	275/24 1/0 Weld	3/8	2.81	1.97	0.85	1.00	1.00	0.45	100
DB101201-251	1/0 AWG	275/24 1/0 Weld	1/2	3.06	2.11	0.85	1.00	1.00	0.45	100
DB101243-251	1/0 AWG	275/24 1/0 Weld	1/2	3.98	2.90	0.85	1.75	1.00	0.45	100
DB101458-261	1/0 AWG	275/24 1/0 Weld	1/4	2.21	1.27	0.83	0.63	0.97	0.44	100
DB101434-261	1/0 AWG	275/24 1/0 Weld	1/4	2.33	1.39	0.83	0.75	0.97	0.44	100
DB105634-261	1/0 AWG	275/24 1/0 Weld	5/16	2.39	1.45	0.83	0.75	0.97	0.44	100




Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM5 TBM8	Pink	42
Panduit	CT-720 CT-920	Pink	P42
Burndy	MY29 Y644M	Pink	12
Celestra	A45	Pink	42

Cat. Nos	Wire Size		Bolt Size	Dimension (in.)					ID	Std. Pkg.
	Code	Flex Class G,H,I,K,M		A	B	C	G	R		
DB105601-261	1/0 AWG	275/24 1/0 Weld	5/16	2.64	1.70	0.83	1.00	0.97	0.44	100
DB103801-261	1/0 AWG	275/24 1/0 Weld	3/8	2.77	1.83	0.83	1.00	0.97	0.44	100
DB101201-261	1/0 AWG	275/24 1/0 Weld	1/2	3.02	2.08	0.83	1.00	0.97	0.44	100
DB101243-261	1/0 AWG	275/24 1/0 Weld	3/4	3.77	2.83	0.83	1.75	0.97	0.44	100
WP101458-179	1/0 AWG	100 Navy #1 Weld 225/24 = 90.8 kcmil 133/.0254	1/4	2.59	1.42	0.75	0.63	0.91	0.39	100
WP103801-056	1/0 AWG	100 Navy #1 Weld 225/24 = 90.8 kcmil 133/.0254	3/8	2.96	1.79	0.74	1.00	0.91	0.40	100
WP101434-126	1/0 AWG	100 Navy #1 Weld 225/24 = 90.8 kcmil 133/.0254	1/4	2.96	1.79	0.74	0.75	0.91	0.40	100
LB101458-250	1/0 AWG	100 Navy #1 Weld 225/24 = 90.8 kcmil 133/.0254	1/4	3.02	1.33	0.76	0.63	1.72	0.39	100
LB101434-250	1/0 AWG	100 Navy #1 Weld 225/24 = 90.8 kcmil 133/.0254	1/4	3.14	1.45	0.76	0.75	1.72	0.39	100
LB105678-250	1/0 AWG	100 Navy #1 Weld 225/24 = 90.8 kcmil 133/.0254	5/16	3.33	1.64	0.76	0.88	1.72	0.39	100
LB105601-250	1/0 AWG	100 Navy #1 Weld 225/24 = 90.8 kcmil 133/.0254	5/16	3.45	1.76	0.76	1.00	1.72	0.39	100
LB103801-250	1/0 AWG	100 Navy #1 Weld 225/24 = 90.8 kcmil 133/.0254	3/8	3.52	1.83	0.76	1.00	1.72	0.39	100
LB101201-250	1/0 AWG	100 Navy #1 Weld 225/24 = 90.8 kcmil 133/.0254	1/2	3.79	2.10	0.80	1.00	1.72	0.39	100
LB101243-250	1/0 AWG	100 Navy #1 Weld 225/24 = 90.8 kcmil 133/.0254	1/2	4.70	3.01	0.80	1.75	1.72	0.39	100
LB101458P-250	1/0 AWG	100 Navy #1 Weld 225/24 = 90.8 kcmil 133/.0254	1/4	3.02	1.33	0.76	0.63	1.72	0.39	100
LB101434P-250	1/0 AWG	100 Navy #1 Weld 225/24 = 90.8 kcmil 133/.0254	1/4	3.14	1.45	0.76	0.75	1.72	0.39	100
LB101401P-250	1/0 AWG	100 Navy #1 Weld 225/24 = 90.8 kcmil 133/.0254	1/4	3.39	1.70	0.76	1.00	1.72	0.39	100
LB103801P-250	1/0 AWG	100 Navy #1 Weld 225/24 = 90.8 kcmil 133/.0254	3/8	3.52	1.83	0.76	1.00	1.72	0.39	100
LB103843P-250	1/0 AWG	100 Navy #1 Weld 225/24 = 90.8 kcmil 133/.0254	3/8	4.27	2.58	0.76	1.75	1.72	0.39	100
LB101201P-250	1/0 AWG	100 Navy #1 Weld 225/24 = 90.8 kcmil 133/.0254	1/2	3.79	2.10	0.80	1.00	1.72	0.39	100
LB101243P-250	1/0 AWG	100 Navy #1 Weld 225/24 = 90.8 kcmil 133/.0254	1/2	4.70	3.01	0.80	1.75	1.72	0.39	100
LB101243-260	1/0 AWG	100 Navy #1 Weld 225/24 = 90.8 kcmil 133/.0254	1/2	4.46	2.83	0.81	1.75	1.66	0.39	100
LB101458-260	1/0 AWG	100 Navy #1 Weld 225/24 = 90.8 kcmil 133/.0254	1/4	2.90	1.27	0.75	0.63	1.66	0.39	100
LB101434-260	1/0 AWG	100 Navy #1 Weld 225/24 = 90.8 kcmil 133/.0254	1/4	3.02	1.39	0.75	0.75	1.66	0.39	100
LB103801-260	1/0 AWG	100 Navy #1 Weld 225/24 = 90.8 kcmil 133/.0254	3/8	3.46	1.83	0.75	1.00	1.66	0.39	100
LB105601-260	1/0 AWG	100 Navy #1 Weld 225/24 = 90.8 kcmil 133/.0254	5/16	3.33	1.70	0.75	1.00	1.66	0.39	100
LB103843-260	1/0 AWG	100 Navy #1 Weld 225/24 = 90.8 kcmil 133/.0254	3/8	4.21	2.58	0.75	1.75	1.66	0.39	100
LB101243P-260	1/0 AWG	100 Navy #1 Weld 225/24 = 90.8 kcmil 133/.0254	3/4	4.46	2.83	0.83	1.75	1.66	0.39	100
LB101458P-260	1/0 AWG	100 Navy #1 Weld 225/24 = 90.8 kcmil 133/.0254	1/4	2.90	1.27	0.75	0.63	1.66	0.39	100
LB101434P-260	1/0 AWG	100 Navy #1 Weld 225/24 = 90.8 kcmil 133/.0254	1/4	3.02	1.39	0.75	0.75	1.66	0.39	100
LB101401P-260	1/0 AWG	100 Navy #1 Weld 225/24 = 90.8 kcmil 133/.0254	1/4	3.27	1.64	0.75	1.00	1.66	0.39	100
LB105678P-260	1/0 AWG	100 Navy #1 Weld 225/24 = 90.8 kcmil 133/.0254	5/16	3.21	1.58	0.75	0.88	1.66	0.39	100

COMPRESSION CONNECTORS



Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM5 TBM8	Pink	42
Panduit	CT-720 CT-920	Pink	P42
Burndy	MY29 Y644M	Pink	12
Celestra	A45	Pink	42

Cat. Nos	Code	Wire Size	Bolt Size	Dimension (in.)					ID	Std. Pkg.
		Flex Class G,H,I,K,M		A	B	C	G	R		
LB105601P-260	1/0 AWG	100 Navy #1 Weld 225/24 = 90.8 kcmil 133/.0254	5/16	3.33	1.70	0.75	1.00	1.66	0.39	100
LB103801P-260	1/0 AWG	100 Navy #1 Weld 225/24 = 90.8 kcmil 133/.0254	3/8	3.46	1.83	0.75	1.00	1.66	0.39	100
LB103843P-260	1/0 AWG	100 Navy #1 Weld 225/24 = 90.8 kcmil 133/.0254	3/8	4.21	2.58	0.75	1.75	1.66	0.39	100
LB101458P-251	1/0 AWG	275/24 1/0 Weld	1/4	3.16	1.41	0.85	0.63	1.78	0.45	100
LB101434P-251	1/0 AWG	275/24 1/0 Weld	1/4	3.28	1.53	0.85	0.75	1.78	0.45	100
LB103801P-251	1/0 AWG	275/24 1/0 Weld	3/8	3.59	1.84	0.85	1.00	1.78	0.45	100
LB101243P-251	1/0 AWG	275/24 1/0 Weld	1/2	4.76	3.01	0.85	1.75	1.78	0.45	100
LB101458P-261	1/0 AWG	275/24 1/0 Weld	1/4	3.02	1.27	0.83	0.63	1.66	0.44	100
LB101434P-261	1/0 AWG	275/24 1/0 Weld	1/4	3.14	1.39	0.83	0.75	1.66	0.44	100
LB103801P-261	1/0 AWG	275/24 1/0 Weld	3/8	3.58	1.83	0.83	1.00	1.66	0.44	100
LB101243P-261	1/0 AWG	275/24 1/0 Weld	1/2	4.58	2.83	0.83	1.75	1.66	0.44	100