


Two hole 45°




Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM5 TBM8	Green	37
Panduit	CT-720 CT-1700	Green	P37
Burndy	MY29 Y644M	Green	11
Celestra	A45	Green	37

Cat. Nos	Code	Wire Size	Dimension (in.)							Std. Pkg.
		Flex Class G,H,I,K,M	Bolt Size	B	C	G	R	ID		
DB011458F	#1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223	1/4	1.28	0.68	0.63	0.85	0.36	100	
LB011458F	#1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223	1/4	1.19	0.67	0.63	1.13	0.36	100	
LB011434F	#1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223	1/4	1.40	0.67	0.75	1.13	0.36	100	
LB015678F	#1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223	5/16	1.63	0.67	0.88	1.13	0.36	100	
LB013801F	#1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223	3/8	1.98	0.67	1.00	1.13	0.36	100	
LB011243F	#1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223	1/2	3.00	0.88	1.75	1.13	0.36	100	
DB011458F-250	#1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223	1/4	1.26	0.70	0.63	1.13	0.36	100	
DB011434F-250	#1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223	1/4	1.38	0.70	0.75	1.13	0.36	100	
DB015678F-250	#1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223	5/16	1.64	0.70	0.88	1.13	0.36	100	
DB013801F-250	#1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223	3/8	1.83	0.70	1.00	1.13	0.36	100	
DB011243F-250	#1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223	1/2	3.01	0.75	1.75	1.13	0.36	100	
DB011243F-260	#1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223	1/2	2.83	0.81	1.75	1.13	0.36	100	
DB015678F-260	#1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223	5/16	1.57	0.68	0.88	1.13	0.36	100	
DB011458F-260	#1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223	1/4	1.26	0.68	0.62	1.13	0.36	100	
DB011434F-260	#1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223	1/4	1.39	0.68	0.75	1.13	0.36	100	
DB013801F-260	#1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223	3/8	1.83	0.68	1.00	1.13	0.36	100	
DB011458F-251	#1 AWG	225/24 #1 Weld	1/4	1.33	0.76	0.63	0.91	0.39	100	
DB011434F-251	#1 AWG	225/24 #1 Weld	1/4	1.45	0.76	0.75	0.91	0.39	100	
DB011401F-251	#1 AWG	225/24 #1 Weld	1/4	1.70	0.76	1.00	0.91	0.39	100	
DB015601F-251	#1 AWG	225/24 #1 Weld	5/16	1.76	0.76	1.00	0.91	0.39	100	
DB013801F-251	#1 AWG	225/24 #1 Weld	3/8	1.83	0.76	1.00	0.91	0.39	100	
DB011243F-251	#1 AWG	225/24 #1 Weld	1/2	3.01	0.80	1.75	0.91	0.39	100	
DB011458F-261	#1 AWG	225/24 #1 Weld	1/4	1.26	0.75	0.62	0.94	0.39	100	
DB011401F-261	#1 AWG	225/24 #1 Weld	1/4	1.64	0.75	1.00	0.94	0.39	100	
DB011434F-261	#1 AWG	225/24 #1 Weld	1/4	1.39	0.75	0.75	0.94	0.39	100	
DB015601F-261	#1 AWG	225/24 #1 Weld	5/16	1.70	0.75	1.00	0.94	0.39	100	
DB013801F-261	#1 AWG	225/24 #1 Weld	3/8	1.83	0.75	1.00	0.94	0.39	100	


Two hole 45°



Installation Information			
Manufacturer	Tools	Color	Code
T&B	TBM5 TBM8	Green	37
Panduit	CT-720 CT-1700	Green	P37
Burndy	MY29 Y644M	Green	11
Celestra	A45	Green	37

Cat. Nos	Code	Wire Size	Dimension (in.)							Std. Pkg.
		Flex Class G,H,I,K,M	Bolt Size	B	C	G	R	ID		
DB011243F-261	#1 AWG	225/24 #1 Weld	1/2	2.83	0.83	1.75	0.94	0.39	100	
WP011458F-193	#1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223	1/4	1.23	0.68	0.62	0.85	0.36	100	
LB011458F-250	#1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223	1/4	1.26	0.70	0.63	1.61	0.36	100	
LB011434F-250	#1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223	1/4	1.38	0.70	0.75	1.61	0.36	100	
LB015634F-250	#1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223	5/16	1.51	0.70	0.75	1.61	0.36	100	
LB015678F-250	#1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223	5/16	1.64	0.70	0.88	1.61	0.36	100	
LB013801F-250	#1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223	3/8	1.83	0.70	1.00	1.61	0.36	100	
LB011243F-250	#1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223	1/2	3.01	0.75	1.75	1.61	0.36	100	
LB011458FP-250	#1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223	1/4	1.26	0.70	0.63	1.61	0.36	100	
LB011434FP-250	#1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223	1/4	1.38	0.70	0.75	1.61	0.36	100	
LB015634FP-250	#1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223	5/16	1.51	0.70	0.75	1.61	0.36	100	
LB015678FP-250	#1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223	5/16	1.64	0.70	0.88	1.61	0.36	100	
LB013801FP-250	#1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223	3/8	1.83	0.70	1.00	1.61	0.36	100	
LB011243FP-250	#1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223	1/2	3.01	0.75	1.75	1.61	0.36	100	
LB011243F-260	#1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223	1/2	2.83	0.81	1.75	1.63	0.36	100	
LB011458F-260	#1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223	1/4	1.26	0.68	0.62	1.63	0.36	100	
LB011434F-260	#1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223	1/4	1.39	0.75	0.75	1.63	0.36	100	
LB013801F-260	#1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223	3/8	1.83	0.68	1.00	1.63	0.36	100	
LB011243FP-260	#1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223	1/2	2.83	0.83	1.75	1.63	0.36	100	
LB011458FP-260	#1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223	1/4	1.26	0.67	0.62	1.63	0.36	100	
LB011434FP-260	#1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223	1/4	1.39	0.67	0.75	1.63	0.36	100	

Two hole 45°



Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM5 TBM8	Green	37
Panduit	CT-720 CT-1700	Green	P37
Burndy	MY29 Y644M	Green	11
Celestra	A45	Green	37

Cat. Nos	Wire Size		Dimension (in.)							Std. Pkg.
	Code	Flex Class G,H,I,K,M	Bolt Size	B	C	G	R	ID		
LB013801FP-260	#1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223	3/8	1.83	0.67	1.00	1.63	0.36	100	
LB013801FP-261	#1 AWG	225/24 #1 Weld	3/8	1.83	0.75	1.00	1.63	0.39	100	
LB015678FP-261	#1 AWG	225/24 #1 Weld	5/16	1.57	0.75	0.88	1.63	0.39	100	
LB015601FP-261	#1 AWG	225/24 #1 Weld	5/16	1.70	0.75	1.00	1.63	0.39	100	