



Two hole 90°



Installation Information			
Manufacturer	Tools	Color	Code
T&B	TBM5 TBM8	Red	21
Panduit	CT-720 CT-920	Red	P21
Burndy	Y1MR Y2MR	Red	49
Celestra	A45	Red	21

Cat. Nos	Code	Wire Size	Dimension (in.)							Std. Pkg.
		Flex Class G,H,I,K,M	Bolt Size	B	C	G	R	ID		
DB081058A	8 AWG	#8 Weld 37/24 = 14.9 kcmil	#10	1.25	0.42	0.63	0.68	0.18	100	
LB081458A	8 AWG	#8 Weld 37/24 = 14.9 kcmil	1/4	1.89	0.42	0.63	0.93	0.18	100	
LB081434A	8 AWG	#8 Weld 37/24 = 14.9 kcmil	1/4	1.29	0.47	0.75	0.93	0.18	100	
LB083801A	8 AWG	#8 Weld 37/24 = 14.9 kcmil	3/8	2.10	0.56	1.00	0.93	0.18	100	
DB081058-34A	#8 AWG	#8 Weld 37/24 = 14.9 kcmil	#10	1.19	0.41	0.63-0.75	0.68	0.18	100	
DB081058A-250	#8 AWG	#8 Weld 37/24 = 14.9 kcmil	#10	1.16	0.41	0.63	0.74	0.18	100	
DB081458A-250	#8 AWG	#8 Weld 37/24 = 14.9 kcmil	1/4	1.25	0.48	0.63	0.74	0.18	100	
DB081434A-250	#8 AWG	#8 Weld 37/24 = 14.9 kcmil	1/4	1.37	0.48	0.75	0.74	0.18	100	
DB081401A-250	#8 AWG	#8 Weld 37/24 = 14.9 kcmil	1/4	1.62	0.48	1.00	0.74	0.18	100	
DB083801A-250	#8 AWG	#8 Weld 37/24 = 14.9 kcmil	3/8	1.84	0.63	1.00	0.74	0.18	100	
DB081058A-260	#8 AWG	#8 Weld 37/24 = 14.9 kcmil	#10	1.15	0.41	0.62	0.62	0.18	100	
DB081034A-260	#8 AWG	#8 Weld 37/24 = 14.9 kcmil	#10	1.27	0.41	0.75	0.62	0.18	100	
DB081458A-260	#8 AWG	#8 Weld 37/24 = 14.9 kcmil	1/4	1.26	0.41	0.62	0.62	0.18	100	
DB081401A-260	#8 AWG	#8 Weld 37/24 = 14.9 kcmil	1/4	1.64	0.41	1.00	0.62	0.18	100	
DB081434A-260	#8 AWG	#8 Weld 37/24 = 14.9 kcmil	1/4	1.39	0.41	0.75	0.62	0.18	100	
DB083801A-260	#8 AWG	#8 Weld 37/24 = 14.9 kcmil	3/8	1.83	0.57	1.00	0.62	0.18	100	
DB081243A-260	#8 AWG	#8 Weld 37/24 = 14.9 kcmil	1/2	2.83	0.83	1.75	0.62	0.18	100	
DB081058A-251	#8 AWG	#8 Weld 37/24 = 14.9 kcmil	#10	1.16	0.41	0.63	0.60	0.18	100	
DB081458A-251	#8 AWG	#8 Weld 37/24 = 14.9 kcmil	1/4	1.25	0.48	0.63	0.60	0.18	100	
DB081434A-251	#8 AWG	#8 Weld 37/24 = 14.9 kcmil	1/4	1.37	0.48	0.75	0.60	0.18	100	
DB081401A-251	#8 AWG	#8 Weld 37/24 = 14.9 kcmil	1/4	1.62	0.48	1.00	0.60	0.18	100	
DB083801A-251	#8 AWG	#8 Weld 37/24 = 14.9 kcmil	3/8	1.84	0.63	1.00	0.60	0.18	100	
DB081058A-261	#8 AWG	#8 Weld 37/24 = 14.9 kcmil	#10	1.15	0.41	0.62	0.62	0.18	100	
DB081458A-261	#8 AWG	#8 Weld 37/24 = 14.9 kcmil	1/4	1.26	0.44	0.62	0.62	0.18	100	
DB081401A-261	#8 AWG	#8 Weld 37/24 = 14.9 kcmil	1/4	1.64	0.44	1.00	0.62	0.18	100	
DB081434A-261	#8 AWG	#8 Weld 37/24 = 14.9 kcmil	1/4	1.39	0.44	0.75	0.62	0.18	100	
DB083801A-261	#8 AWG	#8 Weld 37/24 = 14.9 kcmil	3/8	1.83	0.58	1.00	0.62	0.18	100	
LB081058A-250	#8 AWG	#8 Weld 37/24 = 14.9 kcmil	#10	1.16	0.41	0.63	0.88	0.18	100	
LB081434A-250	#8 AWG	#8 Weld 37/24 = 14.9 kcmil	1/4	1.37	0.48	0.75	0.88	0.18	100	
LB081458A-250	#8 AWG	#8 Weld 37/24 = 14.9 kcmil	1/4	1.25	0.48	0.63	0.88	0.18	100	
LB081401A-250	#8 AWG	#8 Weld 37/24 = 14.9 kcmil	1/4	1.62	0.48	1.00	0.88	0.18	100	
LB083801A-250	#8 AWG	#8 Weld 37/24 = 14.9 kcmil	3/8	1.84	0.60	1.00	0.88	0.18	100	
LB081058AP-250	#8 AWG	#8 Weld 37/24 = 14.9 kcmil	#10	1.16	0.41	0.63	0.88	0.18	100	
LB081034AP-250	#8 AWG	#8 Weld 37/24 = 14.9 kcmil	#10	1.28	0.41	0.75	0.88	0.18	100	
LB081458AP-250	#8 AWG	#8 Weld 37/24 = 14.9 kcmil	1/4	1.25	0.48	0.63	0.88	0.18	100	
LB081434AP-250	#8 AWG	#8 Weld 37/24 = 14.9 kcmil	1/4	1.37	0.48	0.75	0.88	0.18	100	
LB081401AP-250	#8 AWG	#8 Weld 37/24 = 14.9 kcmil	1/4	1.62	0.48	1.00	0.88	0.18	100	
LB083801AP-250	#8 AWG	#8 Weld 37/24 = 14.9 kcmil	3/8	1.84	0.60	1.00	0.88	0.18	100	
LB081458A-260	#8 AWG	#8 Weld 37/24 = 14.9 kcmil	1/4	1.26	0.41	0.62	0.99	0.18	100	
LB081434A-260	#8 AWG	#8 Weld 37/24 = 14.9 kcmil	1/4	1.39	0.41	0.75	0.99	0.18	100	
LB083801A-260	#8 AWG	#8 Weld 37/24 = 14.9 kcmil	3/8	1.83	0.73	1.00	0.99	0.18	100	
LB081058AP-260	#8 AWG	#8 Weld 37/24 = 14.9 kcmil	#10	1.15	0.41	0.62	0.99	0.18	100	
LB081034AP-260	#8 AWG	#8 Weld 37/24 = 14.9 kcmil	#10	1.27	0.41	0.75	0.99	0.18	100	
LB081458AP-260	#8 AWG	#8 Weld 37/24 = 14.9 kcmil	1/4	1.26	0.44	0.62	0.99	0.18	100	
LB081434AP-260	#8 AWG	#8 Weld 37/24 = 14.9 kcmil	1/4	1.39	0.44	0.75	0.99	0.18	100	
LB081401AP-260	#8 AWG	#8 Weld 37/24 = 14.9 kcmil	1/4	1.73	0.44	1.00	0.99	0.18	100	
LB083801AP-260	#8 AWG	#8 Weld 37/24 = 14.9 kcmil	3/8	1.83	0.58	1.00	0.99	0.18	100	
LB081058AP-251	#8 AWG	#8 Weld 37/24 = 14.9 kcmil	#10	1.16	0.41	0.63	0.88	0.18	100	
LB081034AP-251	#8 AWG	#8 Weld 37/24 = 14.9 kcmil	#10	1.28	0.41	0.75	0.88	0.18	100	
LB081458AP-251	#8 AWG	#8 Weld 37/24 = 14.9 kcmil	1/4	1.25	0.48	0.63	0.88	0.18	100	

Two hole 90°



Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM5 TBM8	Red	21
Panduit	CT-720 CT-920	Red	P21
Burndy	Y1MR Y2MR	Red	49
Celestra	A45	Red	21

Cat. Nos	Code	Wire Size		Dimension (in.)						Std. Pkg.
		Flex Class	G,H,I,K,M	Bolt Size	B	C	G	R	ID	
LB081434AP-251	#8 AWG	#8 Weld	37/24 = 14.9 kcmil	1/4	1.37	0.48	0.75	0.88	0.18	100
LB081401AP-251	#8 AWG	#8 Weld	37/24 = 14.9 kcmil	1/4	1.62	0.48	1.00	0.88	0.18	100
LB083801AP-251	#8 AWG	#8 Weld	37/24 = 14.9 kcmil	3/8	1.84	0.60	1.00	0.88	0.18	100
LB081058AP-261	#8 AWG	#8 Weld	37/24 = 14.9 kcmil	#10	1.15	0.41	0.63	0.93	0.18	100
LB081034AP-261	#8 AWG	#8 Weld	37/24 = 14.9 kcmil	#10	1.27	0.41	0.75	0.93	0.18	100
LB081401AP-261	#8 AWG	#8 Weld	37/24 = 14.9 kcmil	1/4	1.64	0.44	1.00	0.93	0.18	100
LB081434AP-261	#8 AWG	#8 Weld	37/24 = 14.9 kcmil	1/4	1.39	0.44	0.75	0.93	0.18	100
LB083801AP-261	#8 AWG	#8 Weld	37/24 = 14.9 kcmil	3/8	1.83	0.58	1.00	0.93	0.18	100