



One - Hole



Installation Information			
Manufacturer	Tools	Color	Code
T&B	TBM5 TBM8	Brown	33
Panduit	CT-720 CT-1700	Brown	P33
Burndy	Y1MR MY29	Brown	10
Celestra	A45	Brown	33

Cat. Nos	Code	Wire Size	Dimension (in.)							Std. Pkg.
		Flex Class G,H,I,K,M	Bolt Size	B	C	G	R	ID		
DB021458A	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/4	1.28	0.59	0.63	0.85	0.30	100	
LB021401A	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/4	1.88	0.67	1.00	1.15	0.30	100	
LB021458A	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/4	1.28	0.59	0.63	1.15	0.30	100	
LB021434A	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/4	1.35	0.68	0.75	1.15	0.30	100	
LB025634A	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	5/16	1.63	0.59	0.75	1.15	0.30	100	
LB023843A	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	3/8	2.57	0.59	1.75	1.15	0.30	100	
LB023801A	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	3/8	1.94	0.59	1.00	1.15	0.30	100	
LB021243A	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/2	3.00	0.88	1.75	1.15	0.30	100	
DB021458A-250	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/4	1.26	0.60	0.63	1.13	0.31	100	
DB021434A-250	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/4	1.38	0.60	0.75	1.13	0.31	100	
DB021401A-250	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/4	1.63	0.60	1.00	1.13	0.31	100	
DB025634A-250	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	5/16	1.51	0.66	0.75	1.13	0.31	100	
DB023801A-250	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	3/8	1.86	0.66	1.00	1.13	0.31	100	
DB021243A-250	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/2	3.00	0.75	1.75	1.13	0.31	100	
DB025634A-260	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	5/16	1.45	0.60	0.75	1.13	0.30	100	
DB021243A-260	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/2	2.83	0.83	1.75	1.13	0.30	100	
DB021458A-260	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/4	1.26	0.60	0.62	1.13	0.30	100	
DB021401A-260	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/4	1.64	0.60	1.00	1.13	0.30	100	
DB021434A-260	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/4	1.39	0.60	0.75	1.13	0.30	100	
DB023801A-260	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	3/8	1.83	0.60	1.00	1.13	0.30	100	
DB025601A-260	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	5/16	1.70	0.60	1.00	1.13	0.30	100	
DB021458A-251	#2 AWG	150/24 #2 Weld	1/4	1.26	0.70	0.62	0.84	0.36	100	
DB021434A-251	#2 AWG	150/24 #2 Weld	1/4	1.38	0.70	0.75	0.84	0.36	100	
DB021401A-251	#2 AWG	150/24 #2 Weld	1/4	1.63	0.70	1.00	0.84	0.36	100	
DB025601A-251	#2 AWG	150/24 #2 Weld	5/16	1.76	0.70	1.00	0.84	0.36	100	
DB023801A-251	#2 AWG	150/24 #2 Weld	3/8	1.83	0.70	1.00	0.84	0.36	100	
DB021243A-251	#2 AWG	150/24 #2 Weld	1/2	3.00	0.75	1.75	0.84	0.36	100	
DB021458A-261	#2 AWG	150/24 #2 Weld	1/4	1.26	0.68	0.62	0.88	0.36	100	
DB021434A-261	#2 AWG	150/24 #2 Weld	1/4	1.39	0.68	0.75	0.88	0.36	100	
DB021401A-261	#2 AWG	150/24 #2 Weld	1/4	1.64	0.68	1.00	0.88	0.36	100	
DB025601A-261	#2 AWG	150/24 #2 Weld	5/16	1.70	0.68	1.00	0.88	0.36	100	
DB023801A-261	#2 AWG	150/24 #2 Weld	3/8	1.83	0.68	1.00	0.88	0.36	100	
DB021243A-261	#2 AWG	150/24 #2 Weld	1/2	2.83	0.83	1.75	0.88	0.36	100	
LB021458A-250	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/4	1.26	0.60	0.63	1.41	0.31	100	
LB021434A-250	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/4	1.38	0.60	0.75	1.41	0.31	100	


One - Hole



Installation Information			
Manufacturer	Tools	Color	Code
T&B	TBM5 TBM8	Brown	33
Panduit	CT-720 CT-1700	Brown	P33
Burndy	Y1MR MY29	Brown	10
Celestra	A45	Brown	33

Cat. Nos	Code	Wire Size	Dimension (in.)							Std. Pkg.
		Flex Class G,H,I,K,M	Bolt Size	B	C	G	R	ID		
LB025634A-250	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	5/16	1.51	0.66	0.75	1.41	0.31	100	
LB025678A-250	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	5/16	1.63	0.66	0.88	1.41	0.31	100	
LB023801A-250	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	3/8	1.83	0.66	1.00	1.41	0.31	100	
LB023843A-250	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	3/8	2.58	0.66	1.75	1.41	0.31	100	
LB021243A-250	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/2	3.00	0.75	1.75	1.41	0.31	100	
LB021058AP-250	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	#10	1.16	0.60	0.63	1.41	0.31	100	
LB021034AP-250	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	#10	1.28	0.60	0.75	1.41	0.31	100	
LB021458AP-250	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/4	1.26	0.60	0.63	1.41	0.31	100	
LB021434AP-250	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/4	1.38	0.60	0.75	1.41	0.31	100	
LB021401AP-250	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/4	1.63	0.60	1.00	1.41	0.31	100	
LB025634AP-250	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	5/16	1.51	0.66	0.75	1.41	0.31	100	
LB025678AP-250	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	5/16	1.63	0.66	0.88	1.41	0.31	100	
LB023834AP-250	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	3/8	1.58	0.66	0.75	1.41	0.31	100	
LB023878AP-250	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	3/8	1.71	0.66	0.88	1.41	0.31	100	
LB023801AP-250	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	3/8	1.83	0.66	1.00	1.41	0.31	100	
LB023843AP-250	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	3/8	2.58	0.66	1.75	1.41	0.31	100	
LB021243AP-250	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/2	3.00	0.75	1.75	1.41	0.31	100	
LB021243A-260	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/2	2.83	0.81	1.75	1.50	0.30	100	
LB021458A-260	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/4	1.26	0.60	0.62	1.50	0.30	100	
LB021434A-260	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/4	1.39	0.60	0.75	1.50	0.30	100	
LB023834A-260	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	3/8	1.58	0.60	0.75	1.50	0.30	100	
LB025634A-260	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	5/16	1.46	0.60	0.75	1.50	0.30	100	
LB023843A-260	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	3/8	2.58	0.60	1.75	1.50	0.30	100	
LB023801A-260	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	3/8	1.83	0.60	1.00	1.50	0.30	100	
LB023878A-260	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	3/8	1.71	0.60	0.88	1.50	0.30	100	
LB021243AP-260	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/2	2.83	0.83	1.75	1.50	0.30	100	
LB021034AP-260	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	#10	1.27	0.60	0.75	1.50	0.30	100	
LB021458AP-260	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/4	1.26	0.60	0.62	1.50	0.30	100	
LB021434AP-260	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/4	1.39	0.60	0.75	1.50	0.30	100	
LB021401AP-260	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/4	1.64	0.60	1.00	1.50	0.30	100	
LB025634AP-260	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	5/16	1.45	0.60	0.75	1.50	0.30	100	

One - Hole



Installation Information			
Manufacturer	Tools	Color	Code
T&B	TBM5 TBM8	Brown	33
Panduit	CT-720 CT-1700	Brown	P33
Burndy	Y1MR MY29	Brown	10
Celestra	A45	Brown	33

Cat. Nos	Code	Wire Size	Dimension (in.)							Std. Pkg.
		Flex Class G,H,I,K,M	Bolt Size	B	C	G	R	ID		
LB023834AP-260	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	3/8	1.58	0.60	0.75	1.50	0.30	100	
LB023878AP-260	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	3/8	1.71	0.60	0.88	1.50	0.30	100	
LB023801AP-260	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	3/8	1.83	0.60	1.00	1.50	0.30	100	
LB023843AP-260	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	3/8	2.58	0.60	1.75	1.50	0.30	100	
LB021458AP-251	#2 AWG	150/24 #2 Weld	1/4	1.26	0.70	0.63	1.61	0.36	100	
LB021434AP-251	#2 AWG	150/24 #2 Weld	1/4	1.38	0.70	0.75	1.61	0.36	100	
LB023801AP-251	#2 AWG	150/24 #2 Weld	3/8	1.83	0.70	1.00	1.61	0.36	100	
LB021243AP-251	#2 AWG	150/24 #2 Weld	1/2	3.00	0.75	1.75	1.61	0.36	100	
LB021458AP-261	#2 AWG	150/24 #2 Weld	1/4	1.27	0.68	0.63	1.63	0.36	100	
LB021434AP-261	#2 AWG	150/24 #2 Weld	1/4	1.39	0.68	0.75	1.63	0.36	100	
LB023801AP-261	#2 AWG	150/24 #2 Weld	3/8	1.83	0.68	1.00	1.63	0.36	100	
LB021243AP-261	#2 AWG	150/24 #2 Weld	1/2	2.83	0.83	1.75	1.63	0.36	100	