



Metric connectors for copper conductor
HEAT SHRINKABLE-INSULATED BUTT SPLICE CONNECTORS



Cat. Nos	Conduct Size sq.mm				Stud	Dimensions mm					Std. Pkg.
	Stranded	Flexible	2r	5f / 6f		A	B	C	R	ID	
BHS22	—	-	-	-	—	0.00	0.00		—	0.00	100
BHS16	—	-	-	-	—	0.00	0.00		—	0.00	100
BHS12	—	-	-	-	—	0.00	0.00		—	0.00	100

Metric connectors for copper conductor


HEAT SHRINKABLE-INSULATED (EASY ENTRY) DOUBLE CRIMP SPADE TERMINALS(DIN46237)



Cat. Nos	Conduct Size sq.mm				Stud	Dimensions mm					Std. Pkg.
	Stranded	Flexible	2r	5f / 6f		A	B	C	R	ID	
SHSD2203	—	-	-	-	—	0.00	0.00		—	0.00	100
SHSD2235	—	-	-	-	—	0.00	0.00		—	0.00	100
SHSD2204	—	-	-	-	—	0.00	0.00		—	0.00	100
SHSD2204L	—	-	-	-	—	0.00	0.00		—	0.00	100
SHSD2205	—	-	-	-	—	0.00	0.00		—	0.00	100
SHSD2206	—	-	-	-	—	0.00	0.00		—	0.00	100
SHSD1603	—	-	-	-	—	0.00	0.00		—	0.00	100
SHSD1635	—	-	-	-	—	0.00	0.00		—	0.00	100
SHSD1604	—	-	-	-	—	0.00	0.00		—	0.00	100
SHSD1604L	—	-	-	-	—	0.00	0.00		—	0.00	100
SHSD1605	—	-	-	-	—	0.00	0.00		—	0.00	100
SHSD1606	—	-	-	-	—	0.00	0.00		—	0.00	100
SHSD1204	—	-	-	-	—	0.00	0.00		—	0.00	100
SHSD1205	—	-	-	-	—	0.00	0.00		—	0.00	100
SHSD1206	—	-	-	-	—	0.00	0.00		—	0.00	100
SHSD1208	—	-	-	-	—	0.00	0.00		—	0.00	100
SHSD1210	—	-	-	-	—	0.00	0.00		—	0.00	100

Metric connectors for copper conductor


HEAT SHRINKABLE-FULLY NYLON INSULATED FEMALE DISCONNECTORS(EASY ENTRY)



Cat. Nos	Conduct Size sq.mm				Stud	Dimensions mm					Std. Pkg.
	Stranded	Flexible	2r	5f / 6f		A	B	C	R	ID	
FHSFN22250	—	-	-	-	—	0.00	0.00		—	0.00	100
FHSFN16250	—	-	-	-	—	0.00	0.00		—	0.00	100
FHSFN12250	—	-	-	-	—	0.00	0.00		—	0.00	100


Metric connectors for copper conductor

HEAT SHRINKABLE-INSULATED DOUBLE CRIMP MALE DISCONNECTORS(EASY ENTRY)




Cat. Nos	Conduct Size sq.mm				Stud	Dimensions mm					Std. Pkg.
	Stranded	Flexible	2r	5f / 6f		A	B	C	R	ID	
MHSD22250	—	-	-	-	—	0.00	0.00		—	0.00	100
MHSD16250	—	-	-	-	—	0.00	0.00		—	0.00	100
MHSD12250	—	-	-	-	—	0.00	0.00		—	0.00	100

Metric connectors for copper conductor
HEAT SHRINKABLE-INSULATED SPADE TERMINALS



Cat. Nos	Conduct Size sq.mm				Dimensions mm						
	Stranded	Flexible	2r	5f / 6f	Stud	A	B	C	R	ID	Std. Pkg.
SHS2232	—	-	-	-	—	0.00	0.00	—	—	0.00	100
SHS2237S	—	-	-	-	—	0.00	0.00	—	—	0.00	100
SHS2237L	—	-	-	-	—	0.00	0.00	—	—	0.00	100
SHS2204S	—	-	-	-	—	0.00	0.00	—	—	0.00	100
SHS2204M	—	-	-	-	—	0.00	0.00	—	—	0.00	100
SHS2237LL	—	-	-	-	—	0.00	0.00	—	—	0.00	100
SHS2204L	—	-	-	-	—	0.00	0.00	—	—	0.00	100
SHS2205S	—	-	-	-	—	0.00	0.00	—	—	0.00	100
SHS2205L	—	-	-	-	—	0.00	0.00	—	—	0.00	100
SHS2206S	—	-	-	-	—	0.00	0.00	—	—	0.00	100
SHS2206L	—	-	-	-	—	0.00	0.00	—	—	0.00	100
SHS1632	—	-	-	-	—	0.00	0.00	—	—	0.00	100
SHS1637S	—	-	-	-	—	0.00	0.00	—	—	0.00	100
SHS1637L	—	-	-	-	—	0.00	0.00	—	—	0.00	100
SHS1604S	—	-	-	-	—	0.00	0.00	—	—	0.00	100
SHS1637LL	—	-	-	-	—	0.00	0.00	—	—	0.00	100
SHS1604M	—	-	-	-	—	0.00	0.00	—	—	0.00	100
SHS1604L	—	-	-	-	—	0.00	0.00	—	—	0.00	100
SHS1605S	—	-	-	-	—	0.00	0.00	—	—	0.00	100
SHS1605L	—	-	-	-	—	0.00	0.00	—	—	0.00	100
SHS1606S	—	-	-	-	—	0.00	0.00	—	—	0.00	100
SHS1606L	—	-	-	-	—	0.00	0.00	—	—	0.00	100
SHS1237	—	-	-	-	—	0.00	0.00	—	—	0.00	100
SHS1204S	—	-	-	-	—	0.00	0.00	—	—	0.00	100
SHS1204L	—	-	-	-	—	0.00	0.00	—	—	0.00	100
SHS1205	—	-	-	-	—	0.00	0.00	—	—	0.00	100
SHS1206S	—	-	-	-	—	0.00	0.00	—	—	0.00	100
SHS1206L	—	-	-	-	—	0.00	0.00	—	—	0.00	100
SHS1208	—	-	-	-	—	0.00	0.00	—	—	0.00	100
SHS1237S	—	-	-	-	—	0.00	0.00	—	—	0.00	100
SHS1204SS	—	-	-	-	—	0.00	0.00	—	—	0.00	100


Metric connectors for copper conductor
HEAT SHRINKABLE-INSULATED SPADE TERMINALS(DIN46237)



Cat. Nos	Conduct Size sq.mm				Stud	Dimensions mm					Std. Pkg.
	Stranded	Flexible	2r	5f / 6f		A	B	C	R	ID	
SHS2203	—	-	-	-	—	0.00	0.00		—	0.00	100
SHS2235	—	-	-	-	—	0.00	0.00		—	0.00	100
SHS2204	—	-	-	-	—	0.00	0.00		—	0.00	100
SHS2204L	—	-	-	-	—	0.00	0.00		—	0.00	100
SHS2205	—	-	-	-	—	0.00	0.00		—	0.00	100
SHS2206	—	-	-	-	—	0.00	0.00		—	0.00	100
SHS1603	—	-	-	-	—	0.00	0.00		—	0.00	100
SHS1635	—	-	-	-	—	0.00	0.00		—	0.00	100
SHS1604	—	-	-	-	—	0.00	0.00		—	0.00	100
SHS1604L	—	-	-	-	—	0.00	0.00		—	0.00	100
SHS1605	—	-	-	-	—	0.00	0.00		—	0.00	100
SHS1606	—	-	-	-	—	0.00	0.00		—	0.00	100
SHS1204	—	-	-	-	—	0.00	0.00		—	0.00	100
SHS1205	—	-	-	-	—	0.00	0.00		—	0.00	100
SHS1206	—	-	-	-	—	0.00	0.00		—	0.00	100
SHS1208	—	-	-	-	—	0.00	0.00		—	0.00	100
SHS1210	—	-	-	-	—	0.00	0.00		—	0.00	100

Metric connectors for copper conductor


HEAT SHRINKABLE-FULLY INSULATED DOUBLE CRIMP BULLET-MALE DISCONNECTORS(EASY ENTRY)



Cat. Nos	Conduct Size sq.mm				Stud	Dimensions mm					Std. Pkg.
	Stranded	Flexible	2r	5f / 6f		A	B	C	R	ID	
MHSDB22156	—	-	-	-	—	0.00	0.00		—	0.00	100
MHSDB16156	—	-	-	-	—	0.00	0.00		—	0.00	100
MHSDB16195	—	-	-	-	—	0.00	0.00		—	0.00	100
MHSDB12195	—	-	-	-	—	0.00	0.00		—	0.00	100

Metric connectors for copper conductor


HEAT SHRINKABLE-FULLY INSULATED DOUBLE CRIMP BULLET-FEMALE DISCONNECTORS(EASY ENTRY)



Cat. Nos	Conduct Size sq.mm				Stud	Dimensions mm					Std. Pkg.
	Stranded	Flexible	2r	5f / 6f		A	B	C	R	ID	
MHSD22156	—	-	-	-	—	0.00	0.00		—	0.00	100
MHSD16156	—	-	-	-	—	0.00	0.00		—	0.00	100
MHSD16195	—	-	-	-	—	0.00	0.00		—	0.00	100
MHSD12195	—	-	-	-	—	0.00	0.00		—	0.00	100

Metric connectors for copper conductor


HEAT SHRINKABLE-FULLY NYLON INSULATED MALE DISCONNECTORS(EASY ENTRY)



Cat. Nos	Conduct Size sq.mm				Stud	Dimensions mm					Std. Pkg.
	Stranded	Flexible	2r	5f / 6f		A	B	C	R	ID	
MHSFN22250	—	-	-	-	—	0.00	0.00		—	0.00	100
MHSFN16250	—	-	-	-	—	0.00	0.00		—	0.00	100
MHSFN12250	—	-	-	-	—	0.00	0.00		—	0.00	100

Metric connectors for copper conductor


HEAT SHRINKABLE-FULLY INSULATED DOUBLE CRIMP FEMALE DISCONNECTORS(EASY ENTRY)



Cat. Nos	Conduct Size sq.mm				Stud	Dimensions mm					Std. Pkg.
	Stranded	Flexible	2r	5f / 6f		A	B	C	R	ID	
FHSFD22250	—	-	-	-	—	0.00	0.00		—	0.00	100
FHSFD16250	—	-	-	-	—	0.00	0.00		—	0.00	100
FHSFD12250	—	-	-	-	—	0.00	0.00		—	0.00	100


Metric connectors for copper conductor

HEAT SHRINKABLE-INSULATED DOUBLE CRIMP FEMALE DISCONNECTORS(EASY ENTRY)



Cat. Nos	Conduct Size sq.mm				Stud	Dimensions mm					Std. Pkg.
	Stranded	Flexible	2r	5f / 6f		A	B	C	R	ID	
FHSD22250	—	-	-	-	—	0.00	0.00		—	0.00	100
FHSD16250	—	-	-	-	—	0.00	0.00		—	0.00	100
FHSD12250	—	-	-	-	—	0.00	0.00		—	0.00	100


Metric connectors for copper conductor
HEAT SHRINKABLE-INSULATED (EASY ENTRY) DOUBLE CRIMP SPADE TERMINALS



Cat. Nos	Conduct Size sq.mm				Stud	Dimensions mm						Std. Pkg.
	Stranded	Flexible	2r	5f / 6f		A	B	C	R	ID		
SHD2232	—	-	-	-	—	0.00	0.00	—	—	0.00	100	
SHD2237S	—	-	-	-	—	0.00	0.00	—	—	0.00	100	
SHD2237L	—	-	-	-	—	0.00	0.00	—	—	0.00	100	
SHD2204S	—	-	-	-	—	0.00	0.00	—	—	0.00	100	
SHD2204M	—	-	-	-	—	0.00	0.00	—	—	0.00	100	
SHD2237LL	—	-	-	-	—	0.00	0.00	—	—	0.00	100	
SHD2204L	—	-	-	-	—	0.00	0.00	—	—	0.00	100	
SHD2205S	—	-	-	-	—	0.00	0.00	—	—	0.00	100	
SHD2205L	—	-	-	-	—	0.00	0.00	—	—	0.00	100	
SHD2206S	—	-	-	-	—	0.00	0.00	—	—	0.00	100	
SHD2206L	—	-	-	-	—	0.00	0.00	—	—	0.00	100	
SHD1632	—	-	-	-	—	0.00	0.00	—	—	0.00	100	
SHD1637S	—	-	-	-	—	0.00	0.00	—	—	0.00	100	
SHD1637L	—	-	-	-	—	0.00	0.00	—	—	0.00	100	
SHD1604S	—	-	-	-	—	0.00	0.00	—	—	0.00	100	
SHD1637LL	—	-	-	-	—	0.00	0.00	—	—	0.00	100	
SHD1604M	—	-	-	-	—	0.00	0.00	—	—	0.00	100	
SHD1604L	—	-	-	-	—	0.00	0.00	—	—	0.00	100	
SHD1605S	—	-	-	-	—	0.00	0.00	—	—	0.00	100	
SHD1605L	—	-	-	-	—	0.00	0.00	—	—	0.00	100	
SHD1606S	—	-	-	-	—	0.00	0.00	—	—	0.00	100	
SHD1606L	—	-	-	-	—	0.00	0.00	—	—	0.00	100	
SHD1237	—	-	-	-	—	0.00	0.00	—	—	0.00	100	
SHD1204S	—	-	-	-	—	0.00	0.00	—	—	0.00	100	
SHD1204L	—	-	-	-	—	0.00	0.00	—	—	0.00	100	
SHD1205	—	-	-	-	—	0.00	0.00	—	—	0.00	100	
SHD1206S	—	-	-	-	—	0.00	0.00	—	—	0.00	100	
SHD1206L	—	-	-	-	—	0.00	0.00	—	—	0.00	100	
SHD1208	—	-	-	-	—	0.00	0.00	—	—	0.00	100	
SHD1237S	—	-	-	-	—	0.00	0.00	—	—	0.00	100	
SHD1204SS	—	-	-	-	—	0.00	0.00	—	—	0.00	100	

Metric connectors for copper conductor

HEAT SHRINKABLE-INSULATED (EASY ENTRY) DOUBLE CRIMP RING TERMINALS(DIN46237)




Cat. Nos	Conduct Size sq.mm				Dimensions mm							Std. Pkg.
	Stranded	Flexible	2r	5f / 6f	Stud	A	B	C	R	ID		
RHSDE2202	—	-	-	-	—	0.00	0.00	—	—	0.00	100	
RHSDE2225	—	-	-	-	—	0.00	0.00	—	—	0.00	100	
RHSDE2203	—	-	-	-	—	0.00	0.00	—	—	0.00	100	
RHSDE2235	—	-	-	-	—	0.00	0.00	—	—	0.00	100	
RHSDE2204S	—	-	-	-	—	0.00	0.00	—	—	0.00	100	
RHSDE2204	—	-	-	-	—	0.00	0.00	—	—	0.00	100	
RHSDE2205S	—	-	-	-	—	0.00	0.00	—	—	0.00	100	
RHSDE2205	—	-	-	-	—	0.00	0.00	—	—	0.00	100	
RHSDE2206	—	-	-	-	—	0.00	0.00	—	—	0.00	100	
RHSDE2206L	—	-	-	-	—	0.00	0.00	—	—	0.00	100	
RHSDE2208	—	-	-	-	—	0.00	0.00	—	—	0.00	100	
RHSDE2210	—	-	-	-	—	0.00	0.00	—	—	0.00	100	
RHSDE2210L	—	-	-	-	—	0.00	0.00	—	—	0.00	100	
RHSDE2212	—	-	-	-	—	0.00	0.00	—	—	0.00	100	
RHSDE1603	—	-	-	-	—	0.00	0.00	—	—	0.00	100	
RHSDE1635	—	-	-	-	—	0.00	0.00	—	—	0.00	100	
RHSDE1604S	—	-	-	-	—	0.00	0.00	—	—	0.00	100	
RHSDE1604	—	-	-	-	—	0.00	0.00	—	—	0.00	100	
RHSDE1605S	—	-	-	-	—	0.00	0.00	—	—	0.00	100	
RHSDE1605	—	-	-	-	—	0.00	0.00	—	—	0.00	100	
RHSDE1606	—	-	-	-	—	0.00	0.00	—	—	0.00	100	
RHSDE1608	—	-	-	-	—	0.00	0.00	—	—	0.00	100	
RHSDE1610	—	-	-	-	—	0.00	0.00	—	—	0.00	100	
RHSDE1610L	—	-	-	-	—	0.00	0.00	—	—	0.00	100	
RHSDE1612	—	-	-	-	—	0.00	0.00	—	—	0.00	100	
RHSDE1604	—	-	-	-	—	0.00	0.00	—	—	0.00	100	
RHSDE1605	—	-	-	-	—	0.00	0.00	—	—	0.00	100	
RHSDE1606	—	-	-	-	—	0.00	0.00	—	—	0.00	100	
RHSDE1608	—	-	-	-	—	0.00	0.00	—	—	0.00	100	
RHSDE1610	—	-	-	-	—	0.00	0.00	—	—	0.00	100	
RHSDE1612	—	-	-	-	—	0.00	0.00	—	—	0.00	100	
RHSD2232	—	-	-	-	—	0.00	0.00	—	—	0.00	100	
RHSD2237S	—	-	-	-	—	0.00	0.00	—	—	0.00	100	
RHSD2237M	—	-	-	-	—	0.00	0.00	—	—	0.00	100	
RHSD2237L	—	-	-	-	—	0.00	0.00	—	—	0.00	100	
RHSD2204S	—	-	-	-	—	0.00	0.00	—	—	0.00	100	
RHSD2204L	—	-	-	-	—	0.00	0.00	—	—	0.00	100	
RHSD2205	—	-	-	-	—	0.00	0.00	—	—	0.00	100	
RHSD2205L	—	-	-	-	—	0.00	0.00	—	—	0.00	100	
RHSD2206	—	-	-	-	—	0.00	0.00	—	—	0.00	100	
RHSD2208	—	-	-	-	—	0.00	0.00	—	—	0.00	100	
RHSD2210	—	-	-	-	—	0.00	0.00	—	—	0.00	100	
RHSD1632	—	-	-	-	—	0.00	0.00	—	—	0.00	100	
RHSD1637S	—	-	-	-	—	0.00	0.00	—	—	0.00	100	
RHSD1637M	—	-	-	-	—	0.00	0.00	—	—	0.00	100	
RHSD1637L	—	-	-	-	—	0.00	0.00	—	—	0.00	100	
RHSD1604S	—	-	-	-	—	0.00	0.00	—	—	0.00	100	
RHSD1604L	—	-	-	-	—	0.00	0.00	—	—	0.00	100	
RHSD1605S	—	-	-	-	—	0.00	0.00	—	—	0.00	100	
RHSD1605L	—	-	-	-	—	0.00	0.00	—	—	0.00	100	
RHSD1606	—	-	-	-	—	0.00	0.00	—	—	0.00	100	
RHSD1608	—	-	-	-	—	0.00	0.00	—	—	0.00	100	
RHSD1610	—	-	-	-	—	0.00	0.00	—	—	0.00	100	
RHSD1237	—	-	-	-	—	0.00	0.00	—	—	0.00	100	
RHSD1204S	—	-	-	-	—	0.00	0.00	—	—	0.00	100	
RHSD1204L	—	-	-	-	—	0.00	0.00	—	—	0.00	100	




RHSD1205	—	-	-	-	—	0.00	0.00	—	0.00	100
RHSD1206	—	-	-	-	—	0.00	0.00	—	0.00	100
RHSD1208	—	-	-	-	—	0.00	0.00	—	0.00	100
RHSD1210	—	-	-	-	—	0.00	0.00	—	0.00	100
RHSD1212	—	-	-	-	—	0.00	0.00	—	0.00	100

Metric connectors for copper conductor
HEAT SHRINKABLE-INSULATED (EASY ENTRY) DOUBLE CRIMP RING TERMINALS



Cat. Nos	Conduct Size sq.mm				Dimensions mm							Std. Pkg.
	Stranded	Flexible	2r	5f / 6f	Stud	A	B	C	R	ID		
RHS2202	—	-	-	-	—	0.00	0.00		—	0.00	100	
RHS2225	—	-	-	-	—	0.00	0.00		—	0.00	100	
RHS2203	—	-	-	-	—	0.00	0.00		—	0.00	100	
RHS2235	—	-	-	-	—	0.00	0.00		—	0.00	100	
RHS2204S	—	-	-	-	—	0.00	0.00		—	0.00	100	
RHS2204	—	-	-	-	—	0.00	0.00		—	0.00	100	
RHS2205S	—	-	-	-	—	0.00	0.00		—	0.00	100	
RHS2205	—	-	-	-	—	0.00	0.00		—	0.00	100	
RHS2206	—	-	-	-	—	0.00	0.00		—	0.00	100	
RHS2206L	—	-	-	-	—	0.00	0.00		—	0.00	100	
RHS2208	—	-	-	-	—	0.00	0.00		—	0.00	100	
RHS2210	—	-	-	-	—	0.00	0.00		—	0.00	100	
RHS2210L	—	-	-	-	—	0.00	0.00		—	0.00	100	
RHS2212	—	-	-	-	—	0.00	0.00		—	0.00	100	
RHS1603	—	-	-	-	—	0.00	0.00		—	0.00	100	
RHS1635	—	-	-	-	—	0.00	0.00		—	0.00	100	
RHS1604S	—	-	-	-	—	0.00	0.00		—	0.00	100	
RHS1604	—	-	-	-	—	0.00	0.00		—	0.00	100	
RHS1605S	—	-	-	-	—	0.00	0.00		—	0.00	100	
RHS1605	—	-	-	-	—	0.00	0.00		—	0.00	100	
RHS1606	—	-	-	-	—	0.00	0.00		—	0.00	100	
RHS1608	—	-	-	-	—	0.00	0.00		—	0.00	100	
RHS1610	—	-	-	-	—	0.00	0.00		—	0.00	100	
RHS1610L	—	-	-	-	—	0.00	0.00		—	0.00	100	
RHS1612L	—	-	-	-	—	0.00	0.00		—	0.00	100	
RHS1204	—	-	-	-	—	0.00	0.00		—	0.00	100	
RHS1205	—	-	-	-	—	0.00	0.00		—	0.00	100	
RHS1206	—	-	-	-	—	0.00	0.00		—	0.00	100	
RHS1208	—	-	-	-	—	0.00	0.00		—	0.00	100	
RHS1210	—	-	-	-	—	0.00	0.00		—	0.00	100	
RHS1212	—	-	-	-	—	0.00	0.00		—	0.00	100	

Metric connectors for copper conductor
HEAT SHRINKABLE-INSULATED RING TERMINALS



Cat. Nos	Conduct Size sq.mm				Dimensions mm						
	Stranded	Flexible	2r	5f / 6f	Stud	A	B	C	R	ID	Std. Pkg.
RHS2232	—	-	-	-	—	0.00	0.00	—	—	0.00	100
RHS2237S	—	-	-	-	—	0.00	0.00	—	—	0.00	100
RHS2237M	—	-	-	-	—	0.00	0.00	—	—	0.00	100
RHS2237L	—	-	-	-	—	0.00	0.00	—	—	0.00	100
RHS2204S	—	-	-	-	—	0.00	0.00	—	—	0.00	100
RHS2204L	—	-	-	-	—	0.00	0.00	—	—	0.00	100
RHS2205	—	-	-	-	—	0.00	0.00	—	—	0.00	100
RHS2205L	—	-	-	-	—	0.00	0.00	—	—	0.00	100
RHS2206	—	-	-	-	—	0.00	0.00	—	—	0.00	100
RHS2208	—	-	-	-	—	0.00	0.00	—	—	0.00	100
RHS2210	—	-	-	-	—	0.00	0.00	—	—	0.00	100
RHS1632	—	-	-	-	—	0.00	0.00	—	—	0.00	100
RHS1637S	—	-	-	-	—	0.00	0.00	—	—	0.00	100
RHS1637M	—	-	-	-	—	0.00	0.00	—	—	0.00	100
RHS1637L	—	-	-	-	—	0.00	0.00	—	—	0.00	100
RHS1604S	—	-	-	-	—	0.00	0.00	—	—	0.00	100
RHS1604L	—	-	-	-	—	0.00	0.00	—	—	0.00	100
RHS1605S	—	-	-	-	—	0.00	0.00	—	—	0.00	100
RHS1605L	—	-	-	-	—	0.00	0.00	—	—	0.00	100
RHS1606	—	-	-	-	—	0.00	0.00	—	—	0.00	100
RHS1608	—	-	-	-	—	0.00	0.00	—	—	0.00	100
RHS1610	—	-	-	-	—	0.00	0.00	—	—	0.00	100
RHS1237	—	-	-	-	—	0.00	0.00	—	—	0.00	100
RHS1204S	—	-	-	-	—	0.00	0.00	—	—	0.00	100
RHS1204L	—	-	-	-	—	0.00	0.00	—	—	0.00	100
RHS1205	—	-	-	-	—	0.00	0.00	—	—	0.00	100
RHS1206	—	-	-	-	—	0.00	0.00	—	—	0.00	100
RHS1208	—	-	-	-	—	0.00	0.00	—	—	0.00	100
RHS1210	—	-	-	-	—	0.00	0.00	—	—	0.00	100
RHS1212	—	-	-	-	—	0.00	0.00	—	—	0.00	100