


Metric connectors for copper conductor

One hole 90°




Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM62	--	-
Panduit	CT-100 CT1701	--	P10
Burndy	Y10D Y10R4BY	--	-
Celestra	A45	--	-

Cat. Nos	Conduct Size sq.mm				Stud	Dimensions mm					Std. Pkg.
	Stranded	Flexible	2r	5f / 6f		A	B	C	R	ID	
MC0605A-40	6	-	-	-	5.5	0.00	16.50	10.00	13.00	3.50	100
MC0606A-40	6	-	-	-	6.5	0.00	17.50	12.00	13.00	3.50	100
MC0608A-40	6	-	-	-	8.5	0.00	23.00	14.00	13.00	3.50	100
MC0610A-40	6	-	-	-	10.5	0.00	27.00	17.00	13.00	3.50	100
MC0612A-40	6	-	-	-	13	0.00	30.00	19.00	13.00	3.50	100

Metric connectors for copper conductor

One hole 90°




Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM62 BPLT14	--	2
Panduit	CT-2001 CT-930	--	P21
Burndy	PAT600 Y35	--	49
Celestra	A45	--	2

Cat. Nos	Conduct Size sq.mm				Dimensions mm							Std. Pkg.
	Stranded	Flexible	2r	5f / 6f	Stud	A	B	C	R	ID		
MC1005A-50	10	-	-	-	5.5	0.00	15.80	11.00	28.80	4.50	100	
MC1006A-50	10	-	-	-	6.5	0.00	15.80	11.00	28.80	4.50	100	
MC1010A-50	10	-	-	-	10.5	0.00	16.50	15.00	28.80	4.40	100	
MC1005A-40	10	-	-	-	5.5	0.00	16.50	12.00	14.80	4.50	100	
MC1006A-40	10	-	-	-	6.5	0.00	16.50	12.00	14.80	4.50	100	
MC1008A-50	10	-	-	-	8.5	0.00	16.50	13.00	28.80	4.50	100	
MC1006A-30	10	-	-	-	6.5	0.00	19.50	13.00	19.80	5.00	100	
MC1008A-30	10	-	-	-	8.5	0.00	22.00	13.50	19.80	5.00	100	
MC1008A-40	10	-	-	-	8.5	0.00	23.00	15.00	14.80	4.50	100	
MC1010A-40	10	-	-	-	10.5	0.00	27.00	17.00	14.80	4.50	100	
MC1012A-40	10	-	-	-	13	0.00	31.00	19.00	14.80	4.50	100	

Metric connectors for copper conductor

One hole 90°




Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM62 BPLT14	--	3
Panduit	CT-2001 CT-930	--	P24
Burndy	PAT600 Y35	--	7
Celestra	A45	--	3

Cat. Nos	Conduct Size sq.mm				Stud	Dimensions mm					Std. Pkg.
	Stranded	Flexible	2r	5f / 6f		A	B	C	R	ID	
MC1605A-50	16	-	-	-	5.5	0.00	16.80	13.00	32.30	5.50	100
MC1606A-50	16	-	-	-	6.5	0.00	16.80	13.00	32.30	5.50	100
MC1608A-50	16	-	-	-	8.5	0.00	16.80	13.00	32.30	5.50	100
MC1605A-40	16	-	-	-	5.5	0.00	17.50	12.00	18.10	5.50	100
MC1610A-50	16	-	-	-	10.5	0.00	18.20	15.00	32.30	5.50	100
MC1606A-40	16	-	-	-	6.5	0.00	18.50	12.00	18.10	5.50	100
MC1606A-30	16	-	-	-	6.5	0.00	19.50	13.00	22.10	6.00	100
MC1608A-30	16	-	-	-	8.5	0.00	22.00	13.50	22.10	6.00	100
MC1608A-40	16	-	-	-	8.5	0.00	23.00	15.00	18.10	5.50	100
MC1610A-40	16	-	-	-	10.5	0.00	27.00	17.00	18.10	5.50	100
MC1612A-40	16	-	-	-	13	0.00	31.00	19.00	18.10	5.50	100

Metric connectors for copper conductor

One hole 90°




Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM62 BPLT14	--	5
Panduit	CT-2001 CT-930	--	P29
Burndy	PAT600 Y35	--	9
Celestra	A45	--	5

Cat. Nos	Conduct Size sq.mm				Stud	Dimensions mm					Std. Pkg.
	Stranded	Flexible	2r	5f / 6f		A	B	C	R	ID	
MC2506A-50	25	-	-	-	6.5	0.00	18.00	14.00	33.20	6.90	100
MC2508A-50	25	-	-	-	8.5	0.00	18.00	15.50	25.00	6.90	100
MC2510A-50	25	-	-	-	10.5	0.00	18.00	15.50	21.50	6.90	100
MC2505A-40	25	-	-	-	5.5	0.00	18.50	14.00	21.50	7.00	100
MC2506A-40	25	-	-	-	6.5	0.00	18.50	14.00	21.50	7.00	100
MC2508A-40	25	-	-	-	8.5	0.00	23.00	16.00	33.20	7.00	100
MC2506A-30	25	-	-	-	6.5	0.00	23.50	17.00	25.00	8.00	100
MC2508A-30	25	-	-	-	8.5	0.00	25.50	17.00	21.50	8.00	100
MC2510A-40	25	-	-	-	10.5	0.00	27.00	18.00	33.20	7.00	100
MC2510A-30	25	-	-	-	10.5	0.00	28.50	17.00	21.50	8.00	100
MC2512A-40	25	-	-	-	13	0.00	31.00	19.00	21.50	7.00	100
MC2514A-40	25	-	-	-	15	0.00	34.50	21.00	21.50	7.00	100
MC250845-250	25	-	-	-	8.5	84.50	62.50	15.50	25.00	6.90	100

Metric connectors for copper conductor

One hole 90°




Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM62 BPLT14	--	7
Panduit	CT-2001 CT-930	--	P29
Burndy	PAT600 Y35	--	10
Celestra	A45	--	7

Cat. Nos	Conduct Size sq.mm				Stud	Dimensions mm					Std. Pkg.
	Stranded	Flexible	2r	5f / 6f		A	B	C	R	ID	
MC3506A-40	35	-	-	-	6.5	0.00	18.50	17.00	23.50	8.50	100
MC3506A-50	35	-	-	-	6.5	0.00	20.80	15.50	39.30	8.20	100
MC3508A-50	35	-	-	-	8.5	0.00	20.80	15.50	39.30	8.20	100
MC3510A-50	35	-	-	-	10.5	0.00	20.80	15.50	39.30	8.20	100
MC3508A-40	35	-	-	-	8.5	0.00	23.00	17.00	23.50	8.50	100
MC3506A-30	35	-	-	-	6.5	0.00	24.50	18.00	29.00	9.00	100
MC3512A-50	35	-	-	-	13	0.00	26.00	21.50	39.30	8.20	100
MC3508A-30	35	-	-	-	8.5	0.00	26.50	18.00	29.00	9.00	100
MC3510A-40	35	-	-	-	10.5	0.00	27.00	19.00	23.50	8.50	100
MC3510A-30	35	-	-	-	10.5	0.00	29.50	18.00	29.00	9.00	100
MC3512A-40	35	-	-	-	13	0.00	31.00	21.00	23.50	8.50	100
MC3514A-40	35	-	-	-	15	0.00	34.50	21.00	23.50	8.50	100
MC3516A-40	35	-	-	-	17	0.00	38.00	26.00	23.50	8.50	100

Metric connectors for copper conductor

One hole 90°




Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM62 BPLT14	--	10
Panduit	CT-2001 CT-930	--	P37
Burndy	PAT600 Y35	--	12
Celestra	A45	--	10

Cat. Nos	Conduct Size sq.mm				Dimensions mm							Std. Pkg.
	Stranded	Flexible	2r	5f / 6f	Stud	A	B	C	R	ID		
MC5006A-50	50	-	-	-	6.5	0.00	21.50	18.00	43.80	9.80	100	
MC5008A-50	50	-	-	-	8.5	0.00	21.50	18.00	43.80	9.80	100	
MC5010A-50	50	-	-	-	10.5	0.00	21.50	18.00	43.80	9.80	100	
MC5006A-40	50	-	-	-	6.5	0.00	23.00	20.00	26.20	10.00	100	
MC5008A-40	50	-	-	-	8.5	0.00	23.00	20.00	26.20	10.00	100	
MC5012A-50	50	-	-	-	13	0.00	25.00	23.00	26.20	9.80	100	
MC5010A-40	50	-	-	-	10.5	0.00	28.00	20.00	26.20	10.00	100	
MC5008A-30	50	-	-	-	8.5	0.00	29.50	21.00	37.70	11.00	100	
MC5012A-40	50	-	-	-	13	0.00	31.00	23.00	37.70	10.00	100	
MC5010A-30	50	-	-	-	10.5	0.00	32.50	21.00	37.70	11.00	100	
MC5012A-30	50	-	-	-	13	0.00	33.50	21.00	43.80	11.00	100	
MC5014A-40	50	-	-	-	15	0.00	34.50	23.00	26.20	10.00	100	
MC5016A-40	50	-	-	-	17	0.00	38.00	28.00	26.20	10.00	100	
MC5020A-40	50	-	-	-	21	0.00	43.00	30.00	26.20	10.00	100	

Metric connectors for copper conductor
One hole 90°




Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM62 BPLT14	--	14
Panduit	CT-2001 CT-930	--	P45
Burndy	PAT600 Y35	--	13
Celestra	A45	--	14

Cat. Nos	Conduct Size sq.mm				Dimensions mm							Std. Pkg.
	Stranded	Flexible	2r	5f / 6f	Stud	A	B	C	R	ID		
MC7006A-40	70	-	-	-	6.5	0.00	23.00	23.00	29.10	12.00	100	
MC7008A-40	70	-	-	-	8.5	0.00	24.00	23.00	29.10	12.00	100	
MC7006A-50	70	-	-	-	6.5	0.00	26.00	20.80	46.10	11.50	100	
MC7008A-50	70	-	-	-	8.5	0.00	26.00	20.80	46.10	11.50	100	
MC7010A-50	70	-	-	-	10.5	0.00	26.00	20.80	46.10	11.50	100	
MC7012A-50	70	-	-	-	13	0.00	26.00	20.80	46.10	11.50	100	
MC7010A-40	70	-	-	-	10.5	0.00	28.00	23.00	29.10	12.00	100	
MC7012A-40	70	-	-	-	13	0.00	31.00	23.00	29.10	12.00	100	
MC7008A-30	70	-	-	-	8.5	0.00	33.50	25.00	39.60	13.00	100	
MC7014A-40	70	-	-	-	15	0.00	34.50	23.00	29.10	12.00	100	
MC7010A-30	70	-	-	-	10.5	0.00	36.50	25.00	39.60	13.00	100	
MC7012A-30	70	-	-	-	13	0.00	37.50	25.00	39.60	13.00	100	
MC7016A-40	70	-	-	-	17	0.00	38.00	28.00	29.10	12.00	100	
MC7020A-40	70	-	-	-	21	0.00	43.00	30.00	29.10	12.00	100	

Metric connectors for copper conductor

One hole 90°




Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM62 BPLT14	--	19
Panduit	CT-2001 CT-930	--	P54
Burndy	MY29 Y644M	--	14
Celestra	A45	--	19

Cat. Nos	Conduct Size sq.mm				Stud	Dimensions mm					Std. Pkg.
	Stranded	Flexible	2r	5f / 6f		A	B	C	R	ID	
MC9508A-40	95	-	-	-	8.5	0.00	26.00	26.00	33.10	13.50	100
MC9508A-50	95	-	-	-	8.5	0.00	28.50	24.50	51.10	13.50	100
MC9510A-50	95	-	-	-	10.5	0.00	28.50	24.50	51.10	13.50	100
MC9512A-50	95	-	-	-	13	0.00	28.50	24.50	51.10	13.50	100
MC9516A-50	95	-	-	-	17	0.00	28.50	24.50	51.10	13.50	100
MC9510A-40	95	-	-	-	10.5	0.00	29.00	26.00	33.10	13.50	100
MC9512A-40	95	-	-	-	13	0.00	31.00	26.00	33.10	13.50	100
MC9514A-40	95	-	-	-	15	0.00	34.50	26.00	33.10	13.50	100
MC9516A-40	95	-	-	-	17	0.00	38.00	28.00	33.10	13.50	100
MC9510A-30	95	-	-	-	10.5	0.00	40.50	29.00	40.60	15.00	100
MC9512A-30	95	-	-	-	13	0.00	41.50	29.00	40.60	15.00	100
MC9516A-30	95	-	-	-	17	0.00	44.50	29.00	40.60	15.00	100
MC9520A-40	95	-	-	-	21	0.00	46.00	36.00	33.10	13.50	100

Metric connectors for copper conductor

One hole 90°




Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM62 BPLT14	--	24
Panduit	CT-2001 CT-930	--	P62
Burndy	PAT600 Y35	--	15
Celestra	A45	--	24

Cat. Nos	Conduct Size sq.mm				Stud	Dimensions mm					Std. Pkg.
	Stranded	Flexible	2r	5f / 6f		A	B	C	R	ID	
MC1208A-40	120	-	-	-	8.5	0.00	30.00	28.00	34.90	15.00	100
MC1208A-50	120	-	-	-	8.5	0.00	30.00	27.50	48.60	15.20	100
MC1210A-50	120	-	-	-	10.5	0.00	30.00	27.50	48.60	15.20	100
MC1212A-50	120	-	-	-	13	0.00	30.00	27.50	48.60	15.20	100
MC1216A-50	120	-	-	-	17	0.00	30.00	27.50	48.60	15.20	100
MC1210A-40	120	-	-	-	10.5	0.00	31.00	28.00	34.90	15.00	100
MC1212A-40	120	-	-	-	13	0.00	32.00	28.00	34.90	15.00	100
MC1214A-40	120	-	-	-	15	0.00	35.00	28.00	34.90	15.00	100
MC1216A-40	120	-	-	-	17	0.00	38.00	30.00	34.90	15.00	100
MC1210A-30	120	-	-	-	10.5	0.00	43.50	32.00	43.40	17.00	100
MC1212A-30	120	-	-	-	13	0.00	44.50	32.00	43.40	17.00	100
MC1220A-40	120	-	-	-	21	0.00	46.00	36.00	34.90	15.00	100
MC1216A-30	120	-	-	-	17	0.00	47.50	32.00	43.40	17.00	100

Metric connectors for copper conductor

One hole 90°




Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM62 BPLT14	--	30
Panduit	CT-2001 CT-930	--	P66
Burndy	PAT600 Y35	--	17
Celestra	A45	--	30

Cat. Nos	Conduct Size sq.mm				Stud	Dimensions mm					Std. Pkg.
	Stranded	Flexible	2r	5f / 6f		A	B	C	R	ID	
MC1508A-40	150	-	-	-	8.5	0.00	30.00	31.00	40.20	16.50	100
MC1510A-40	150	-	-	-	10.5	0.00	31.00	31.00	40.20	16.50	100
MC1512A-40	150	-	-	-	13	0.00	33.00	31.00	40.20	16.50	100
MC1508A-50	150	-	-	-	8.5	0.00	34.50	30.50	67.20	16.50	100
MC1510A-50	150	-	-	-	10.5	0.00	34.50	30.50	67.20	16.50	100
MC1512A-50	150	-	-	-	13	0.00	34.50	30.50	67.20	16.50	100
MC1516A-50	150	-	-	-	17	0.00	34.50	30.50	67.20	16.50	100
MC1514A-40	150	-	-	-	15	0.00	35.00	31.00	40.20	16.50	100
MC1516A-40	150	-	-	-	17	0.00	38.00	31.00	40.20	16.50	100
MC1520A-50	150	-	-	-	21	0.00	38.50	30.50	67.20	16.50	100
MC1520A-40	150	-	-	-	21	0.00	46.00	36.00	40.20	16.50	100
MC1510A-30	150	-	-	-	10.5	0.00	47.50	36.00	47.70	19.00	100
MC1512A-30	150	-	-	-	13	0.00	48.50	36.00	47.70	19.00	100
MC1516A-30	150	-	-	-	17	0.00	51.50	36.00	47.70	19.00	100

Metric connectors for copper conductor

One hole 90°




Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM62 BPLT14	--	37
Panduit	CT-2001 CT-930	--	P76
Burndy	PAT600 Y35	--	18
Celestra	A45	--	37

Cat. Nos	Conduct Size sq.mm				Stud	Dimensions mm					Std. Pkg.
	Stranded	Flexible	2r	5f / 6f		A	B	C	R	ID	
MC1810A-50	185	-	-	-	10.5	0.00	35.50	33.50	69.00	18.60	100
MC1812A-50	185	-	-	-	13	0.00	35.50	33.50	69.00	18.60	100
MC1816A-50	185	-	-	-	17	0.00	36.00	33.50	69.00	18.60	100
MC1820A-50	185	-	-	-	21	0.00	38.50	33.50	69.00	18.60	100
MC1810A-40	185	-	-	-	10.5	0.00	40.00	35.00	42.70	19.00	100
MC1812A-40	185	-	-	-	13	0.00	40.00	35.00	42.70	19.00	100
MC1814A-40	185	-	-	-	15	0.00	40.00	35.00	42.70	19.00	100
MC1816A-40	185	-	-	-	17	0.00	40.00	35.00	42.70	19.00	100
MC1820A-40	185	-	-	-	21	0.00	46.00	39.00	42.70	19.00	100

Metric connectors for copper conductor

One hole 90°




Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM62 BPLT14	--	48
Panduit	CT-2001 CT-930	--	P87
Burndy	PAT600 Y35	--	20
Celestra	A45	--	48

Cat. Nos	Conduct Size sq.mm				Stud	Dimensions mm					Std. Pkg.
	Stranded	Flexible	2r	5f / 6f		A	B	C	R	ID	
MC2410A-50	240	-	-	-	10.5	0.00	40.50	37.50	79.80	20.80	100
MC2412A-50	240	-	-	-	13	0.00	40.50	37.50	79.80	20.80	100
MC2416A-50	240	-	-	-	17	0.00	40.50	37.50	79.80	20.80	100
MC2420A-50	240	-	-	-	21	0.00	40.50	37.50	79.80	20.80	100
MC2410A-40	240	-	-	-	10.5	0.00	43.50	39.00	51.30	21.00	100
MC2412A-40	240	-	-	-	13	0.00	43.50	39.00	51.30	21.00	100
MC2414A-40	240	-	-	-	15	0.00	43.50	39.00	51.30	21.00	100
MC2416A-40	240	-	-	-	17	0.00	43.50	39.00	51.30	21.00	100
MC2420A-40	240	-	-	-	21	0.00	45.50	39.00	51.30	21.00	100

Metric connectors for copper conductor

One hole 90°




Installation Information

Manufacturer	Tools	Color	Code
T&B	BPLT14	--	60
Panduit	CT-930 CT-940	--	P94
Burndy	PAT750 Y35	--	22
Celestra	A45	--	60

Cat. Nos	Conduct Size sq.mm				Stud	Dimensions mm					Std. Pkg.
	Stranded	Flexible	2r	5f / 6f		A	B	C	R	ID	
MC3110A-50	300	-	-	-	10.5	0.00	42.00	42.50	86.20	23.50	100
MC3112A-50	300	-	-	-	13	0.00	42.00	42.50	86.20	23.50	100
MC3116A-50	300	-	-	-	17	0.00	42.00	42.50	86.20	23.50	100
MC3120A-50	300	-	-	-	21	0.00	42.00	42.50	86.20	23.50	100
MC3112A-40	300	-	-	-	13	0.00	48.00	43.00	61.80	23.50	100
MC3114A-40	300	-	-	-	15	0.00	48.00	43.00	61.80	23.50	100
MC3116A-40	300	-	-	-	17	0.00	48.00	43.00	61.80	23.50	100
MC3120A-40	300	-	-	-	21	0.00	48.00	43.00	61.80	23.50	100

Metric connectors for copper conductor

One hole 90°



Installation Information

Manufacturer	Tools	Color	Code
T&B	BPLT14 TBM26	--	80
Panduit	CT-930 CT-940	--	P106
Burndy	PAT750 Y35	--	24
Celestra	A45	--	80

Cat. Nos	Conduct Size sq.mm				Stud	Dimensions mm					Std. Pkg.
	Stranded	Flexible	2r	5f / 6f		A	B	C	R	ID	
MC4112A-40	400	-	-	-	13	0.00	48.00	49.00	65.30	27.00	100
MC4114A-40	400	-	-	-	15	0.00	48.00	49.00	65.30	27.00	100
MC4116A-40	400	-	-	-	17	0.00	48.00	49.00	65.30	27.00	100
MC4120A-40	400	-	-	-	21	0.00	48.00	49.00	65.30	27.00	100
MC4110A-50	400	-	-	-	10.5	0.00	50.00	48.00	94.30	26.20	100
MC4112A-50	400	-	-	-	13	0.00	50.00	48.00	94.30	26.20	100
MC4116A-50	400	-	-	-	17	0.00	50.00	48.00	94.30	26.20	100
MC4120A-50	400	-	-	-	21	0.00	50.00	48.00	94.30	26.20	100