


Metric connectors for copper conductor

Two hole 0°




Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM62	--	-
Panduit	CT-100 CT1701	--	P10
Burndy	Y10D Y10R4BY	--	-
Celestra	A45	--	-

Cat. Nos	Conduct Size sq.mm				Stud	Dimensions mm					Std. Pkg.
	Stranded	Flexible	2r	5f / 6f		A	B	C	R	ID	
MC060525-250	6	-	-	-	5.5	53.00	39.00	10.00	9.50	3.80	100
MC060525-251	6	-	-	-	5.5	53.00	39.00	10.00	9.50	3.80	100

Metric connectors for copper conductor

Two hole 0°




Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM62 BPLT14	--	2
Panduit	CT-2001 CT-930	--	P21
Burndy	PAT600 Y35	--	49
Celestra	A45	--	2

Cat. Nos	Conduct Size sq.mm				Stud	Dimensions mm					Std. Pkg.
	Stranded	Flexible	2r	5f / 6f		A	B	C	R	ID	
MC100845-250	10	-	-	-	8.5	77.50	61.00	13.00	11.50	4.50	100
MC100845-251	10	-	-	-	8.5	78.00	61.30	13.00	11.50	5.50	100
MC100845-252	10	-	-	-	8.5	90.00	61.00	13.00	24.00	4.50	100
MC100625-250	10	-	-	-	6.5	57.00	40.80	11.00	11.00	4.50	100
MC100625-251	10	-	-	-	6.5	58.50	41.80	13.00	11.50	5.50	100

Metric connectors for copper conductor

Two hole 0°




Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM62 BPLT14	--	3
Panduit	CT-2001 CT-930	--	P24
Burndy	PAT600 Y35	--	7
Celestra	A45	--	3

Cat. Nos	Conduct Size sq.mm				Stud	Dimensions mm					Std. Pkg.
	Stranded	Flexible	2r	5f / 6f		A	B	C	R	ID	
MC160845-250	16	-	-	-	8.5	81.50	61.30	13.00	14.50	5.50	100
MC160845-251	16	-	-	-	8.5	83.00	62.50	15.50	14.50	6.90	100
MC160845-252	16	-	-	-	8.5	94.50	61.30	13.00	27.20	5.50	100
MC160625-250	16	-	-	-	6.5	62.00	41.80	13.00	14.50	5.50	100
MC160625-251	16	-	-	-	6.5	63.50	43.00	14.00	14.50	6.90	100

Metric connectors for copper conductor

Two hole 0°




Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM62 BPLT14	--	5
Panduit	CT-2001 CT-930	--	P29
Burndy	PAT600 Y35	--	9
Celestra	A45	--	5

Cat. Nos	Conduct Size sq.mm				Stud	Dimensions mm					Std. Pkg.
	Stranded	Flexible	2r	5f / 6f		A	B	C	R	ID	
MC251045-250	25	-	-	-	10.5	84.50	62.50	15.50	15.00	6.90	100
MC251245-250	25	-	-	-	13	92.50	70.50	18.00	15.00	6.90	100
MC250845-252	25	-	-	-	8.5	96.50	62.50	15.50	26.70	6.90	100
MC251045-252	25	-	-	-	10.5	96.50	62.50	15.50	26.70	6.90	100
MC251245-252	25	-	-	-	13	104.50	70.50	19.00	26.70	7.10	100
MC250825-250	25	-	-	-	8.5	65.00	43.00	15.50	15.00	6.90	100

Metric connectors for copper conductor

Two hole 0°




Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM62 BPLT14	--	7
Panduit	CT-2001 CT-930	--	P29
Burndy	PAT600 Y35	--	10
Celestra	A45	--	7

Cat. Nos	Conduct Size sq.mm				Stud	Dimensions mm					ID	Std. Pkg.
	Stranded	Flexible	2r	5f / 6f		A	B	C	R			
MC351045-250	35	-	-	-	10.5	89.50	65.30	15.50	17.50	8.20	100	
MC250845-251	35	-	-	-	8.5	90.00	65.30	15.50	17.50	8.20	100	
MC251045-251	35	-	-	-	10.5	90.00	65.30	15.50	17.50	8.20	100	
MC351045-251	35	-	-	-	10.5	93.50	66.00	18.00	20.30	9.80	100	
MC351245-250	35	-	-	-	13	95.00	70.50	21.50	17.50	8.20	100	
MC251245-251	35	-	-	-	13	95.00	70.50	21.50	17.50	8.20	100	
MC351245-251	35	-	-	-	13	97.00	69.50	23.00	20.30	9.80	100	
MC351045-252	35	-	-	-	10.5	105.00	65.30	15.50	32.80	8.20	100	
MC351245-252	35	-	-	-	13	110.50	70.50	18.50	32.80	8.20	100	
MC350825-250	35	-	-	-	8.5	70.00	45.80	15.50	17.50	8.20	100	
MC250825-251	35	-	-	-	8.5	70.50	45.80	15.50	17.50	8.20	100	
MC350825-251	35	-	-	-	8.5	74.00	46.50	18.00	20.30	9.80	100	

Metric connectors for copper conductor

Two hole 0°




Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM62 BPLT14	--	10
Panduit	CT-2001 CT-930	--	P37
Burndy	PAT600 Y35	--	12
Celestra	A45	--	10

Cat. Nos	Conduct Size sq.mm				Stud	Dimensions mm					Std. Pkg.
	Stranded	Flexible	2r	5f / 6f		A	B	C	R	ID	
MC501045-250	50	-	-	-	10.5	93.50	66.00	18.00	20.30	9.80	100
MC501245-250	50	-	-	-	13	97.00	69.50	23.00	20.30	9.80	100
MC501045-251	50	-	-	-	10.5	101.00	70.50	20.80	23.30	11.50	100
MC501245-251	50	-	-	-	13	101.00	70.50	20.80	23.30	11.50	100
MC501045-252	50	-	-	-	10.5	109.50	66.00	21.00	36.60	9.80	100
MC501245-252	50	-	-	-	13	113.00	69.50	21.00	36.60	9.80	100
MC501025-250	50	-	-	-	10.5	74.00	46.50	18.00	20.30	9.80	100
MC501025-251	50	-	-	-	10.5	81.50	51.00	20.50	23.30	11.50	100

Metric connectors for copper conductor

Two hole 0°




Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM62 BPLT14	--	14
Panduit	CT-2001 CT-930	--	P45
Burndy	PAT600 Y35	--	13
Celestra	A45	--	14

Cat. Nos	Conduct Size sq.mm				Stud	Dimensions mm				ID	Std. Pkg.
	Stranded	Flexible	2r	5f / 6f		A	B	C	R		
MC701240-230	70	-	-	-	13	98.50	70.00	25.00	20.00	13.00	100
MC701045-250	70	-	-	-	10.5	102.00	70.50	20.80	23.30	11.50	100
MC701245-250	70	-	-	-	13	102.00	70.50	20.80	23.30	11.50	100
MC701045-251	70	-	-	-	10.5	106.00	73.00	24.50	24.50	13.50	100
MC701245-251	70	-	-	-	13	106.00	73.00	24.50	24.50	13.50	100
MC701045-252	70	-	-	-	10.5	117.00	70.50	20.80	38.00	11.50	100
MC701245-252	70	-	-	-	13	117.00	70.50	20.80	38.00	11.50	100
MC701025-250	70	-	-	-	10.5	82.00	50.50	20.80	23.30	11.50	100
MC701025-251	70	-	-	-	10.5	86.50	53.50	24.50	24.50	13.50	100

Metric connectors for copper conductor

Two hole 0°




Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM62 BPLT14	--	19
Panduit	CT-2001 CT-930	--	P54
Burndy	MY29 Y644M	--	14
Celestra	A45	--	19

Cat. Nos	Conduct Size sq.mm				Stud	Dimensions mm					Std. Pkg.
	Stranded	Flexible	2r	5f / 6f		A	B	C	R	ID	
MC951240-230	95	-	-	-	13	102.00	70.00	29.00	23.00	15.00	100
MC951245-250	95	-	-	-	13	106.50	73.00	24.50	24.50	13.50	100
MC951445-250	95	-	-	-	15	106.50	73.00	24.50	24.50	13.50	100
MC951245-251	95	-	-	-	13	108.00	74.50	27.50	24.50	15.20	100
MC951445-251	95	-	-	-	15	108.00	74.50	27.50	24.50	15.20	100
MC951245-252	95	-	-	-	13	125.00	73.00	24.50	43.00	13.50	100
MC951445-252	95	-	-	-	15	125.00	73.00	24.50	43.00	13.50	100
MC951025-250	95	-	-	-	10.5	86.50	53.00	24.50	24.50	13.50	100
MC951025-251	95	-	-	-	10.5	88.50	55.00	27.50	24.50	15.20	100

Metric connectors for copper conductor
Two hole 0°




Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM62 BPLT14	--	24
Panduit	CT-2001 CT-930	--	P62
Burndy	PAT600 Y35	--	15
Celestra	A45	--	24

Cat. Nos	Conduct Size sq.mm				Stud	Dimensions mm				ID	Std. Pkg.
	Stranded	Flexible	2r	5f / 6f		A	B	C	R		
MC121240-230	120	-	-	-	13	105.50	71.00	32.00	25.00	17.00	100
MC121245-250	120	-	-	-	13	108.50	74.50	27.50	24.50	15.20	100
MC121445-250	120	-	-	-	15	108.50	74.50	27.50	24.50	15.20	100
MC121245-251	120	-	-	-	13	116.00	79.00	30.50	27.50	16.50	100
MC121445-251	120	-	-	-	15	120.00	83.00	30.50	27.50	16.50	100
MC121245-252	120	-	-	-	13	124.00	74.50	27.50	39.70	15.20	100
MC121445-252	120	-	-	-	15	124.00	74.50	27.50	39.70	15.20	100
MC121025-250	120	-	-	-	10.5	88.50	54.50	27.50	24.50	15.20	100
MC121025-251	120	-	-	-	10.5	96.50	59.50	30.50	27.50	16.50	100

Metric connectors for copper conductor

Two hole 0°




Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM62 BPLT14	--	30
Panduit	CT-2001 CT-930	--	P66
Burndy	PAT600 Y35	--	17
Celestra	A45	--	30

Cat. Nos	Conduct Size sq.mm				Stud	Dimensions mm					Std. Pkg.
	Stranded	Flexible	2r	5f / 6f		A	B	C	R	ID	
MC151240-230	150	-	-	-	13	112.00	71.00	36.00	30.00	19.00	100
MC151245-250	150	-	-	-	13	117.00	79.00	30.50	27.50	16.50	100
MC151445-250	150	-	-	-	15	121.50	83.00	30.50	27.50	16.50	100
MC151245-252	150	-	-	-	13	147.00	79.00	30.50	57.00	16.50	100
MC151445-252	150	-	-	-	15	151.00	83.00	30.50	57.00	16.50	100
MC151245-251	150	-	-	-	13	122.00	83.00	33.50	28.20	18.60	100
MC151445-251	150	-	-	-	15	122.00	83.00	33.50	28.20	18.60	100
MC151025-250	150	-	-	-	10.5	97.50	59.00	30.50	27.50	16.50	100
MC151025-251	150	-	-	-	10.5	102.00	63.00	33.50	28.20	18.60	100

Metric connectors for copper conductor

Two hole 0°




Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM62 BPLT14	--	37
Panduit	CT-2001 CT-930	--	P76
Burndy	PAT600 Y35	--	18
Celestra	A45	--	37

Cat. Nos	Conduct Size sq.mm				Stud	Dimensions mm					Std. Pkg.
	Stranded	Flexible	2r	5f / 6f		A	B	C	R	ID	
MC181240-230	185	-	-	-	13	120.50	72.00	39.00	35.00	21.00	100
MC181245-250	185	-	-	-	13	122.00	80.50	33.50	28.20	18.60	100
MC181445-250	185	-	-	-	15	124.50	83.00	33.50	28.20	18.60	100
MC181245-251	185	-	-	-	13	133.50	85.00	37.50	35.00	20.80	100
MC181445-251	185	-	-	-	15	133.50	85.00	37.50	35.00	20.80	100
MC181245-252	185	-	-	-	13	148.00	78.50	33.50	56.30	18.60	100
MC181445-252	185	-	-	-	15	152.50	83.00	33.50	56.30	18.60	100
MC181025-250	185	-	-	-	10.5	101.50	60.00	33.50	28.20	18.60	100
MC181025-251	185	-	-	-	10.5	114.00	65.50	37.50	35.00	20.80	100

Metric connectors for copper conductor

Two hole 0°




Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM62 BPLT14	--	48
Panduit	CT-2001 CT-930	--	P87
Burndy	PAT600 Y35	--	20
Celestra	A45	--	48

Cat. Nos	Conduct Size sq.mm				Stud	Dimensions mm					Std. Pkg.
	Stranded	Flexible	2r	5f / 6f		A	B	C	R	ID	
MC2400NH-250	240	-	-	-	—	131.00	80.00	37.50	20.80	20.80	100
MC2400NH-251	240	-	-	-	—	139.00	80.10	42.50	23.50	23.50	100
MC2400NH-252	240	-	-	-	—	164.50	85.00	37.50	20.80	20.80	100
MC241240-230	240	-	-	-	13	124.00	73.00	42.00	35.00	22.50	100
MC241245-250	240	-	-	-	13	136.00	85.00	37.50	35.00	20.80	100
MC241245-251	240	-	-	-	13	142.50	86.50	42.50	40.30	23.50	100
MC241445-250	240	-	-	-	15	136.00	85.00	37.50	35.00	20.80	100
MC241445-251	240	-	-	-	15	142.50	86.50	42.50	40.30	23.50	100
MC241245-252	240	-	-	-	13	164.50	85.00	37.50	63.50	20.80	100
MC241445-252	240	-	-	-	15	164.50	85.00	37.50	63.50	20.80	100
MC241025-250	240	-	-	-	10.5	116.00	65.00	37.50	35.00	20.80	100
MC241025-251	240	-	-	-	10.5	123.00	67.00	42.50	40.30	23.50	100

Metric connectors for copper conductor

Two hole 0°




Installation Information

Manufacturer	Tools	Color	Code
T&B	BPLT14	--	60
Panduit	CT-930 CT-940	--	P94
Burndy	PAT750 Y35	--	22
Celestra	A45	--	60

Cat. Nos	Conduct Size sq.mm				Stud	Dimensions mm					Std. Pkg.
	Stranded	Flexible	2r	5f / 6f		A	B	C	R	ID	
MC311240-230	300	-	-	-	13	134.50	74.00	45.00	42.00	24.50	100
MC311245-250	300	-	-	-	13	145.50	86.50	42.50	40.30	23.50	100
MC311445-250	300	-	-	-	15	145.50	86.50	42.50	40.30	23.50	100
MC311245-251	300	-	-	-	13	158.00	94.50	48.00	44.80	26.20	100
MC311445-251	300	-	-	-	15	158.00	94.50	48.00	44.80	26.20	100
MC311245-252	300	-	-	-	13	173.50	86.50	42.50	68.40	23.50	100
MC311445-252	300	-	-	-	15	173.50	86.50	42.50	68.40	23.50	100
MCX311245-252	300	-	-	-	13	187.50	94.50	48.00	73.00	26.20	100
MCX311445-252	300	-	-	-	15	187.50	94.50	48.00	73.00	26.20	100

Metric connectors for copper conductor

Two hole 0°




Installation Information

Manufacturer	Tools	Color	Code
T&B	BPLT14 TBM26	--	80
Panduit	CT-930 CT-940	--	P106
Burndy	PAT750 Y35	--	24
Celestra	A45	--	80

Cat. Nos	Conduct Size sq.mm				Stud	Dimensions mm					ID	Std. Pkg.
	Stranded	Flexible	2r	5f / 6f		A	B	C	R			
MC411240-230	400	-	-	-	13	145.00	75.00	56.00	50.00	30.00	100	
MC411245-250	400	-	-	-	13	159.50	94.50	49.50	44.80	27.00	100	
MC411445-250	400	-	-	-	15	159.50	94.50	49.50	44.80	27.00	100	
MC411645-250	400	-	-	-	17	159.50	94.50	49.50	44.80	27.00	100	
MCX411245-252	400	-	-	-	13	180.00	94.50	49.50	65.20	27.00	100	
MCX411445-252	400	-	-	-	15	180.00	94.50	49.50	65.20	27.00	100	
MCX411645-252	400	-	-	-	17	180.00	94.50	49.50	65.20	27.00	100	

Metric connectors for copper conductor

Two hole 0°




Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM26 TBM60	--	100
Panduit	CT-930 CT-940	--	P125
Burndy	PAT750 Y35	--	L115
Celestra	A45	--	100

Cat. Nos	Conduct Size sq.mm				Stud	Dimensions mm					ID	Std. Pkg.
	Stranded	Flexible	2r	5f / 6f		A	B	C	R			
MC511245-250	500	-	-	-	13	166.00	98.50	57.50	46.50	31.00	100	
MC511445-250	500	-	-	-	15	166.00	98.50	57.50	46.50	31.00	100	
MC511645-250	500	-	-	-	17	166.00	98.50	57.50	46.50	31.00	100	
MCX511245-252	500	-	-	-	13	195.50	98.50	57.50	76.20	31.00	100	
MCX511445-252	500	-	-	-	15	195.50	98.50	57.50	76.20	31.00	100	
MCX511645-252	500	-	-	-	17	195.50	98.50	57.50	76.20	31.00	100	

Metric connectors for copper conductor

Two hole 0°



Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM26 TBM60	--	120
Panduit	CT-930 CT-940	--	P125
Burndy	PAT750 Y35	--	29
Celestra	A45	--	120

Cat. Nos	Conduct Size sq.mm				Stud	Dimensions mm					Std. Pkg.
	Stranded	Flexible	2r	5f / 6f		A	B	C	R	ID	
MC631245-250	630	-	-	-	13	181.00	100.50	63.50	56.20	34.50	100
MC631445-250	630	-	-	-	15	181.00	100.50	63.50	56.20	34.50	100
MC631645-250	630	-	-	-	17	181.00	100.50	63.50	56.20	34.50	100
MCX631245-252	630	-	-	-	13	209.00	100.50	63.50	84.30	34.50	100
MCX631445-252	630	-	-	-	15	209.00	100.50	63.50	84.30	34.50	100
MCX631645-252	630	-	-	-	17	209.00	100.50	63.50	84.30	34.50	100