



One - Hole



Installation Information			
Manufacturer	Tools	Color	Code
T&B	TBM5 TBM8	Red	21
Panduit	CT-720 CT-920	Red	P21
Burndy	Y1MR Y2MR	Red	49
Celestra	A45	Red	21

Cat. Nos	Wire Size		Dimension (in.)					ID	Std. Pkg.
	Code	Flex Class G,H,I,K,M	Bolt Size	A	B	C	R		
LA0810	8 AWG	23 Navy #8 Weld 37/24 = 14.9 kcmil #6 SOL	#10	1.57	0.65	0.42	0.93	0.18	100
LA0814	8 AWG	23 Navy #8 Weld 37/24 = 14.9 kcmil #6 SOL	1/4	1.57	0.65	0.42	0.93	0.18	100
LA0810-250	8 AWG	23 Navy #8 Weld 37/24 = 14.9 kcmil #6 SOL	#10	1.41	0.54	0.41	0.88	0.18	100
LA0814-250	8 AWG	23 Navy #8 Weld 37/24 = 14.9 kcmil #6 SOL	1/4	1.49	0.62	0.48	0.88	0.18	100
LA0838-250	8 AWG	23 Navy #8 Weld 37/24 = 14.9 kcmil #6 SOL	3/8	1.71	0.84	0.60	0.88	0.18	100
LA0810-260	8 AWG	23 Navy #8 Weld 37/24 = 14.9 kcmil #6 SOL	#10	1.50	0.52	0.41	0.99	0.18	100
LA0814-260	8 AWG	23 Navy #8 Weld 37/24 = 14.9 kcmil #6 SOL	1/4	1.62	0.64	0.41	0.99	0.18	100
LA0838-260	8 AWG	23 Navy #8 Weld 37/24 = 14.9 kcmil #6 SOL	3/8	1.81	0.83	0.60	0.99	0.18	100
LA0810P-260	8 AWG	23 Navy #8 Weld 37/24 = 14.9 kcmil #6 SOL	#10	1.50	0.52	0.41	0.99	0.18	100
LA0814P-260	8 AWG	23 Navy #8 Weld 37/24 = 14.9 kcmil #6 SOL	1/4	1.62	0.64	0.41	0.99	0.18	100
LA0838P-260	8 AWG	23 Navy #8 Weld 37/24 = 14.9 kcmil #6 SOL	3/8	1.75	0.83	0.60	0.99	0.18	100
LA0810P-251	8 AWG	23 Navy #8 Weld 37/24 = 14.9 kcmil #6 SOL	#10	1.41	0.54	0.41	0.88	0.18	100
LA0814P-251	8 AWG	23 Navy #8 Weld 37/24 = 14.9 kcmil #6 SOL	1/4	1.49	0.62	0.48	0.88	0.18	100
LA0838P-251	8 AWG	23 Navy #8 Weld 37/24 = 14.9 kcmil #6 SOL	3/8	1.71	0.84	0.60	0.88	0.18	100
LA0810P-261	8 AWG	23 Navy #8 Weld 37/24 = 14.9 kcmil #6 SOL	#10	1.44	0.52	0.41	0.93	0.18	100
LA0814P-261	8 AWG	23 Navy #8 Weld 37/24 = 14.9 kcmil #6 SOL	1/4	1.56	0.64	0.44	0.93	0.18	100
LA0838P-261	8 AWG	23 Navy #8 Weld 37/24 = 14.9 kcmil #6 SOL	3/8	1.75	0.83	0.60	0.93	0.18	100
WP0810-001	8 AWG	23 Navy #8 Weld 37/24 = 14.9 kcmil #6 SOL	#10	1.13	0.52	0.41	0.61	0.18	100
WP0814-074	8 AWG	23 Navy #8 Weld 37/24 = 14.9 kcmil #6 SOL	1/4	1.17	0.56	0.41	0.61	0.18	100
WP0808-098	8 AWG	23 Navy #8 Weld 37/24 = 14.9 kcmil #6 SOL	#8	1.17	0.52	0.41	0.61	0.18	100


One - Hole



Installation Information			
Manufacturer	Tools	Color	Code
T&B	TBM5 TBM8	Red	21
Panduit	CT-720 CT-920	Red	P21
Burndy	Y1MR Y2MR	Red	49
Celestra	A45	Red	21

Cat. Nos	Wire Size		Dimension (in.)						Std. Pkg.
	Code	Flex Class G,H,I,K,M	Bolt Size	A	B	C	R	ID	
WP0838-105	23 Navy #8 Weld	8 AWG 37/24 = 14.9 kcmil #6	3/8	1.37	0.76	0.60	0.61	0.18	100
	SOL								
DA0810	23 Navy #8 Weld	8 AWG 37/24 = 14.9 kcmil #6	#10	1.17	0.50	0.39	0.68	0.18	100
	SOL								
DA0814	23 Navy #8 Weld	8 AWG 37/24 = 14.9 kcmil #6	1/4	1.28	0.61	0.45	0.68	0.18	100
	SOL								
DA0856	23 Navy #8 Weld	8 AWG 37/24 = 14.9 kcmil #6	5/16	1.31	0.64	0.56	0.68	0.18	100
	SOL								
DA0838	23 Navy #8 Weld	8 AWG 37/24 = 14.9 kcmil #6	3/8	1.31	0.64	0.56	0.68	0.18	100
	SOL								
DA0812	23 Navy #8 Weld	8 AWG 37/24 = 14.9 kcmil #6	1/2	1.98	1.31	1.00	0.68	0.18	100
	SOL								
DA0810-250	23 Navy #8 Weld	8 AWG 37/24 = 14.9 kcmil #6	#10	1.27	0.54	0.41	0.74	0.18	100
	SOL								
DA0814-250	23 Navy #8 Weld	8 AWG 37/24 = 14.9 kcmil #6	1/4	1.35	0.62	0.48	0.74	0.18	100
	SOL								
DA0856-250	23 Navy #8 Weld	8 AWG 37/24 = 14.9 kcmil #6	5/16	1.47	0.74	0.56	—	0.18	100
	SOL								
DA0838-250	23 Navy #8 Weld	8 AWG 37/24 = 14.9 kcmil #6	3/8	1.57	0.84	0.60	—	0.18	100
	SOL								
DA0814-260	23 Navy #8 Weld	8 AWG 37/24 = 14.9 kcmil #6	1/4	1.25	0.64	0.44	0.62	0.18	100
	SOL								
DA0856-260	23 Navy #8 Weld	8 AWG 37/24 = 14.9 kcmil #6	5/16	1.31	0.70	0.52	0.62	0.18	100
	SOL								
DA0838-260	23 Navy #8 Weld	8 AWG 37/24 = 14.9 kcmil #6	3/8	1.44	0.83	0.58	0.62	0.18	100
	SOL								
DA0812-260	23 Navy #8 Weld	8 AWG 37/24 = 14.9 kcmil #6	1/2	1.69	1.08	0.71	0.62	0.18	100
	SOL								
DA0810-260	23 Navy #8 Weld	8 AWG 37/24 = 14.9 kcmil #6	8-10	1.13	0.52	0.41	0.62	0.18	100
	SOL								
DA0810-251	23 Navy #8 Weld	8 AWG 37/24 = 14.9 kcmil #6	#10	1.13	0.54	0.41	—	0.18	100
	SOL								
DA0814-251	23 Navy #8 Weld	8 AWG 37/24 = 14.9 kcmil #6	1/4	1.21	0.62	0.48	—	0.18	100
	SOL								
DA0856-251	23 Navy #8 Weld	8 AWG 37/24 = 14.9 kcmil #6	5/16	1.33	0.74	0.56	—	0.18	100
	SOL								
DA0838-251	23 Navy #8 Weld	8 AWG 37/24 = 14.9 kcmil #6	3/8	1.43	0.84	0.60	—	0.18	100
	SOL								
DA0810-252	23 Navy #8 Weld	8 AWG 37/24 = 14.9 kcmil #6	#10	1.13	0.54	0.41	—	0.18	100
	SOL								

One - Hole



Installation Information			
Manufacturer	Tools	Color	Code
T&B	TBM5 TBM8	Red	21
Panduit	CT-720 CT-920	Red	P21
Burndy	Y1MR Y2MR	Red	49
Celestra	A45	Red	21

Cat. Nos	Wire Size		Dimension (in.)						Std. Pkg.
	Code	Flex Class G,H,I,K,M	Bolt Size	A	B	C	R	ID	
DA0814-252	8 AWG	37/24 = 14.9 kcmil #6 23 Navy #8 Weld SOL	1/4	1.21	0.62	0.48	—	0.18	100
DA0856-252	8 AWG	37/24 = 14.9 kcmil #6 23 Navy #8 Weld SOL	5/16	1.33	0.74	0.56	—	0.18	100
DA0838-252	8 AWG	37/24 = 14.9 kcmil #6 23 Navy #8 Weld SOL	3/8	1.43	0.84	0.60	—	0.18	100
DA0810-261	8 AWG	37/24 = 14.9 kcmil #6 23 Navy #8 Weld SOL	8-10	1.13	0.52	0.41	0.62	0.18	100
DA0814-261	8 AWG	37/24 = 14.9 kcmil #6 23 Navy #8 Weld SOL	1/4	1.25	0.64	0.44	0.62	0.18	100
DA0856-261	8 AWG	37/24 = 14.9 kcmil #6 23 Navy #8 Weld SOL	5/16	1.31	0.70	0.52	0.62	0.18	100
DA0838-261	8 AWG	37/24 = 14.9 kcmil #6 23 Navy #8 Weld SOL	3/8	1.44	0.83	0.58	0.62	0.18	100
DA0812-261	8 AWG	37/24 = 14.9 kcmil #6 23 Navy #8 Weld SOL	1/2	1.69	1.08	0.71	0.62	0.18	100
WP0856-009	8 AWG	37/24 = 14.9 kcmil #6 23 Navy #8 Weld SOL	5/16	1.19	0.49	0.45	—	0.00	100