



One - Hole



| Installation Information | | | |
|--------------------------|----------------|-------|------|
| Manufacturer | Tools | Color | Code |
| T&B | TBM5 TBM8 | Brown | 33 |
| Panduit | CT-720 CT-1700 | Brown | P33 |
| Burndy | Y1MR MY29 | Brown | 10 |
| Celestra | A45 | Brown | 33 |

| Cat. Nos | Wire Size | | Dimension (in.) | | | | | | |
|------------|-----------|--|-----------------|------|------|------|------|------|-----------|
| | Code | Flex Class G,H,I,K,M | Bolt Size | A | B | C | R | ID | Std. Pkg. |
| DA0214 | 2 AWG | 60 Navy #4 Weld 125/24 = 50.5 kcmil | 1/4 | 1.50 | 0.65 | 0.59 | 0.85 | 0.30 | 100 |
| DA0256 | 2 AWG | 60 Navy #4 Weld 125/24 = 50.5 kcmil | 5/16 | 1.73 | 0.88 | 0.59 | 0.85 | 0.30 | 100 |
| DA0238 | 2 AWG | 60 Navy #4 Weld 125/24 = 50.5 kcmil | 3/8 | 1.65 | 0.80 | 0.59 | 0.85 | 0.30 | 100 |
| DA0212 | 2 AWG | 60 Navy #4 Weld 125/24 = 50.5 kcmil | 1/2 | 1.93 | 1.08 | 0.75 | 0.85 | 0.30 | 100 |
| DA0214-250 | 2 AWG | 60 Navy #4 Weld 125/24 = 50.5 kcmil | 1/4 | 1.76 | 0.63 | 0.60 | 1.13 | 0.31 | 100 |
| DA0256-250 | 2 AWG | 60 Navy #4 Weld 125/24 = 50.5 kcmil | 5/16 | 1.89 | 0.76 | 0.66 | 1.13 | 0.31 | 100 |
| DA0238-250 | 2 AWG | 60 Navy #4 Weld 125/24 = 50.5 kcmil | 3/8 | 1.96 | 0.83 | 0.66 | 1.13 | 0.31 | 100 |
| DA0212-250 | 2 AWG | 60 Navy #4 Weld 125/24 = 50.5 kcmil | 1/2 | 2.20 | 1.07 | 0.75 | 1.13 | 0.31 | 100 |
| DA0214-260 | 2 AWG | 60 Navy #4 Weld 125/24 = 50.5 kcmil | 1/4 | 1.77 | 0.64 | 0.61 | 1.13 | 0.30 | 100 |
| DA0256-260 | 2 AWG | 60 Navy #4 Weld 125/24 = 50.5 kcmil | 5/16 | 1.83 | 0.70 | 0.61 | 1.13 | 0.30 | 100 |
| DA0238-260 | 2 AWG | 60 Navy #4 Weld 125/24 = 50.5 kcmil | 3/8 | 1.96 | 0.83 | 0.61 | 1.13 | 0.30 | 100 |
| DA0212-260 | 2 AWG | 60 Navy #4 Weld 125/24 = 50.5 kcmil | 1/2 | 2.21 | 1.08 | 0.73 | 1.13 | 0.30 | 100 |
| DA0210-251 | 2 AWG | 150/24 #2 Weld | #10 | 1.38 | 0.54 | 0.70 | 0.84 | 0.36 | 100 |
| DA0214-251 | 2 AWG | 150/24 #2 Weld | 1/4 | 1.47 | 0.63 | 0.70 | 0.84 | 0.36 | 100 |
| DA0256-251 | 2 AWG | 150/24 #2 Weld | 5/16 | 1.60 | 0.76 | 0.70 | 0.84 | 0.36 | 100 |
| DA0238-251 | 2 AWG | 150/24 #2 Weld | 3/8 | 1.67 | 0.83 | 0.70 | 0.84 | 0.36 | 100 |
| DA0212-251 | 2 AWG | 60 Navy #4 Weld 125/24 = 50.5 kcmil | 1/2 | 1.91 | 1.07 | 0.75 | 0.84 | 0.36 | 100 |
| DA0214-252 | 2 AWG | 60 Navy #4 Weld 125/24 = 50.5 kcmil | 1/4 | 1.45 | 0.63 | 0.60 | 0.82 | 0.31 | 100 |
| DA0256-252 | 2 AWG | 60 Navy #4 Weld 125/24 = 50.5 kcmil | 5/16 | 1.58 | 0.76 | 0.66 | 0.82 | 0.31 | 100 |
| DA0238-252 | 2 AWG | 60 Navy #4 Weld 125/24 = 50.5 kcmil | 3/8 | 1.65 | 0.83 | 0.66 | 0.82 | 0.31 | 100 |
| DA0212-252 | 2 AWG | 60 Navy #4 Weld 125/24 = 50.5 kcmil | 1/2 | 1.89 | 1.07 | 0.75 | 0.82 | 0.31 | 100 |
| DA0210-261 | 2 AWG | 150/24 #2 Weld | #10 | 1.40 | 0.52 | 0.68 | 0.88 | 0.36 | 100 |
| DA0212-261 | 2 AWG | 150/24 #2 Weld | 1/2 | 1.96 | 1.08 | 0.77 | 0.88 | 0.36 | 100 |
| DA0214-261 | 2 AWG | 150/24 #2 Weld | 1/4 | 1.52 | 0.64 | 0.68 | 0.88 | 0.36 | 100 |
| DA0238-261 | 2 AWG | 150/24 #2 Weld | 3/8 | 1.71 | 0.83 | 0.68 | 0.88 | 0.36 | 100 |
| DA0256-261 | 2 AWG | 150/24 #2 Weld | 5/16 | 1.58 | 0.70 | 0.68 | 0.88 | 0.36 | 100 |
| WP0214-053 | 2 AWG | 60 Navy #4 Weld 125/24 = 50.5 kcmil | 1/4 | 1.69 | 0.55 | 0.59 | 0.84 | 0.30 | 100 |
| WP0256-119 | 2 AWG | 60 Navy #4 Weld 125/24 = 50.5 kcmil | 5/16 | 1.69 | 0.55 | 0.59 | 0.84 | 0.30 | 100 |
| WP0238-120 | 2 AWG | 60 Navy #4 Weld 125/24 = 50.5 kcmil | 3/8 | 1.81 | 0.55 | 0.59 | 0.84 | 0.30 | 100 |
| LA0210 | 2 AWG | 60 Navy #4 Weld 125/24 = 50.5 kcmil | #10 | 1.80 | 0.65 | 0.59 | 1.15 | 0.30 | 100 |
| LA0256 | 2 AWG | 60 Navy #4 Weld 125/24 = 50.5 kcmil | 5/16 | 2.03 | 0.88 | 0.59 | 1.15 | 0.30 | 100 |
| LA0210-250 | 2 AWG | 60 Navy #4 Weld 125/24 = 50.5 kcmil | #10 | 1.97 | 0.56 | 0.60 | 1.41 | 0.31 | 100 |
| LA0256-250 | 2 AWG | 60 Navy #4 Weld 125/24 = 50.5 kcmil | 5/16 | 2.17 | 0.76 | 0.66 | 1.41 | 0.31 | 100 |
| LA0238-250 | 2 AWG | 60 Navy #4 Weld 125/24 = 50.5 kcmil | 3/8 | 2.24 | 0.83 | 0.66 | 1.41 | 0.31 | 100 |

One - Hole



| Installation Information | | | |
|--------------------------|----------------|-------|------|
| Manufacturer | Tools | Color | Code |
| T&B | TBM5 TBM8 | Brown | 33 |
| Panduit | CT-720 CT-1700 | Brown | P33 |
| Burndy | Y1MR MY29 | Brown | 10 |
| Celestra | A45 | Brown | 33 |

| Cat. Nos | Wire Size | | Bolt Size | Dimension (in.) | | | | ID | Std. Pkg. |
|-------------|-----------|--|-----------|-----------------|------|------|------|------|-----------|
| | Code | Flex Class G,H,I,K,M | | A | B | C | R | | |
| LA0210-260 | 2 AWG | 60 Navy #4 Weld 125/24 = 50.5 kcmil | #10 | 2.02 | 0.52 | 0.61 | 1.50 | 0.30 | 100 |
| LA0214-260 | 2 AWG | 60 Navy #4 Weld 125/24 = 50.5 kcmil | 1/4 | 2.14 | 0.64 | 0.60 | 1.50 | 0.30 | 100 |
| LA0256-260 | 2 AWG | 60 Navy #4 Weld 125/24 = 50.5 kcmil | 5/16 | 2.20 | 0.70 | 0.61 | 1.50 | 0.30 | 100 |
| LA0212-260 | 2 AWG | 60 Navy #4 Weld 125/24 = 50.5 kcmil | 1/2 | 2.58 | 1.08 | 0.83 | 1.50 | 0.30 | 100 |
| LA0214P-260 | 2 AWG | 60 Navy #4 Weld 125/24 = 50.5 kcmil | 1/4 | 2.14 | 0.64 | 0.60 | 1.50 | 0.30 | 100 |
| LA0238P-260 | 2 AWG | 60 Navy #4 Weld 125/24 = 50.5 kcmil | 3/8 | 2.33 | 0.83 | 0.60 | 1.50 | 0.30 | 100 |
| LA0212P-260 | 2 AWG | 60 Navy #4 Weld 125/24 = 50.5 kcmil | 1/2 | 2.58 | 1.08 | 0.83 | 1.50 | 0.30 | 100 |
| LA0214P-251 | 2 AWG | 150/24 #2 Weld | 1/4 | 2.24 | 0.63 | 0.70 | 1.61 | 0.36 | 100 |
| LA0238P-251 | 2 AWG | 150/24 #2 Weld | 3/8 | 2.44 | 0.83 | 0.70 | 1.61 | 0.36 | 100 |
| LA0212P-251 | 2 AWG | 150/24 #2 Weld | 1/2 | 2.68 | 1.07 | 0.75 | 1.61 | 0.36 | 100 |
| LA0214P-261 | 2 AWG | 150/24 #2 Weld | 1/4 | 2.27 | 0.64 | 0.68 | 1.63 | 0.36 | 100 |
| LA0238P-261 | 2 AWG | 150/24 #2 Weld | 3/8 | 2.46 | 0.83 | 0.68 | 1.63 | 0.36 | 100 |
| LA0212P-261 | 2 AWG | 150/24 #2 Weld | 1/2 | 2.71 | 1.08 | 0.83 | 1.63 | 0.36 | 100 |